

## ? logon

\*\*\* It is now 2009/08/02 20:01:04 \*\*\*  
(Dialog time 2009/08/02 19:01:04)

705TEXT1 is set ON as an alias for 15, 16, 160, 148, 621, 275, 634, 47  
705TEXT2 is set ON as an alias for 9, 623, 810, 624, 813, 20, 636  
705BIBLIT is set ON as an alias for 77, 35, 583, 2, 65, 233, 99  
705NEWSBIB is set ON as an alias for 473, 474, 475  
SOFTLIT is set ON as an alias for 256, 278  
705ADLIT is set ON as an alias for 635, 570, PAPERSMJ, PAPERSEU  
HIGHLIGHT set on as '' ''  
DETAIL set off  
KWIC is set to 50.

## ? b

**610,613,634,810,813,20,583,474,475,35,65,99,256,9,15,16,148,160,275,621,636,624,2,4  
76, 635, 570, PAPERSMJ, PAPERSEU, 47,347,348,349**

>>> 476 does not exist  
>>>1 of the specified files is not available  
02aug09 18:01:44 User264751 Session D629.1  
\$0.00 0.247 DialUnits File415  
\$0.00 Estimated cost File415  
\$0.18 INTERNET  
\$0.18 Estimated cost this search  
\$0.18 Estimated total session cost 0.247 DialUnits

SYSTEM:OS - DIALOG OneSearch  
File 610:Business Wire 1999-2009/Aug 02  
(c) 2009 Business Wire.  
\*File 610: File 610 now contains data from 3/99 forward.  
Archive data (1986-2/99) is available in File 810.  
File 613:PR Newswire 1999-2009/Aug 02  
(c) 2009 PR Newswire Association Inc  
\*File 613: File 613 now contains data from 5/99 forward.  
Archive data (1987-4/99) is available in File 813.  
File 634:San Jose Mercury Jun 1985-2009/Jul 31  
(c) 2009 San Jose Mercury News  
File 810:Business Wire 1986-1999/Feb 28  
(c) 1999 Business Wire  
File 813:PR Newswire 1987-1999/Apr 30  
(c) 1999 PR Newswire Association Inc  
File 20:Dialog Global Reporter 1997-2009/Aug 02  
(c) 2009 Dialog  
File 583:Gale Group Globalbase(TM) 1986-2002/Dec 13  
(c) 2002 Gale/Cengage  
\*File 583: This file is no longer updating as of 12-13-2002.  
File 474:New York Times Abs 1969-2009/Aug 01  
(c) 2009 The New York Times  
File 475:Wall Street Journal Abs 1973-2009/Aug 01  
(c) 2009 The New York Times  
File 35:Dissertation Abs Online 1861-2009/Jun  
(c) 2009 ProQuest Info&Learning  
File 65:Inside Conferences 1993-2009/Jul 31  
(c) 2009 BLDSC all rts. reserv.

File 99:Wilson Appl. Sci & Tech Abs 1983-2009/Jun  
(c) 2009 The HW Wilson Co.

File 256:TecTrends 1982-2009/Jul W4  
(c) 2009 Info.Sources Inc. All rights res.

\*File 256: Please see HELP NEWS 256 for the latest information about TecTrends.

File 9:Business & Industry(R) Jul/1994-2009/Aug 01  
(c) 2009 Gale/Cengage

File 15:ABI/Inform(R) 1971-2009/Aug 01  
(c) 2009 ProQuest Info&Learning

File 16:Gale Group PROMT(R) 1990-2009/Jul 09  
(c) 2009 Gale/Cengage

\*File 16: UD/banner does not reflect last processed date

File 148:Gale Group Trade & Industry DB 1976-2009/Jul 16  
(c) 2009 Gale/Cengage

\*File 148: The CURRENT feature is not working in File 148.  
See HELP NEWS148.

File 160:Gale Group PROMT(R) 1972-1989  
(c) 1999 The Gale Group

File 275:Gale Group Computer DB(TM) 1983-2009/Jul 03  
(c) 2009 Gale/Cengage

File 621:Gale Group New Prod.Annou.(R) 1985-2009/Jun 25  
(c) 2009 Gale/Cengage

File 636:Gale Group Newsletter DB(TM) 1987-2009/Jul 09  
(c) 2009 Gale/Cengage

File 624:McGraw-Hill Publications 1985-2009/Jul 31  
(c) 2009 McGraw-Hill Co. Inc

File 2:INSPEC 1898-2009/Jul W4  
(c) 2009 The IET

File 635:Business Dateline(R) 1985-2009/Aug 01  
(c) 2009 ProQuest Info&Learning

File 570:Gale Group MARS(R) 1984-2009/Jul 09  
(c) 2009 Gale/Cengage

File 387:The Denver Post 1994-2009/Jul 31  
(c) 2009 Denver Post

File 471:New York Times Fulltext 1980-2009/Aug 02  
(c) 2009 The New York Times

File 492:Arizona Repub/Phoenix Gaz 19862002/Jan 06  
(c) 2002 Phoenix Newspapers

\*File 492: File 492 is closed (no longer updating). Use Newsroom, Files 989 and 990, for current records.

File 494:St LouisPost-Dispatch 1988-2009/Jun 19  
(c) 2009 St Louis Post-Dispatch

File 631:Boston Globe 1980-2009/Aug 02  
(c) 2009 Boston Globe

File 633:Phil.Inquirer 1983-2009/Aug 02  
(c) 2009 Philadelphia Newspapers Inc

File 638:Newsday/New York Newsday 1987-2009/Aug 02  
(c) 2009 Newsday Inc.

File 640:San Francisco Chronicle 1988-2009/Aug 02  
(c) 2009 Chronicle Publ. Co.

File 641:Rocky Mountain News Jun 1989-2009/Jan 16  
(c) 2009 Scripps Howard News

\*File 641: This file has ceased updating

File 702:Miami Herald 1983-2009/Aug 02  
(c) 2009 The Miami Herald Publishing Co.

File 703:USA Today 1989-2009/Jul 31



```
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
>>>One or more prefixes are unsupported
>>> or undefined in one or more files.
Processed 10 of 51 files ...
Processing
Processing
Processing
Processing
Processing
Processed 20 of 51 files ...
Processing
Processing
Processing
Processing
Processed 30 of 51 files ...
Processing
Processing
Processed 40 of 51 files ...
Processing
Processing
Processing
Processed 50 of 51 files ...
Completed processing all files
```

S191945090 PD<20010330

>>> Retrying request [1]

**? S AU=(sonderegger, k OR sonderegger k? OR kelly(2N)sonderegger) OR  
BY=(kelly(2N)sonderegger)**

>>>One or more prefixes are unsupported

>>> or undefined in one or more files.

>>>Input error: Numeric characters expected

>>>Input error: Numeric characters expected

```
      0 AU=SONDEREGGER, K
      4 AU=SONDEREGGER K?
89652 AU=KELLY
5355 AU=SONDEREGGER
      4 AU=KELLY(2N)AU=SONDEREGGER
429 BY=KELLY
      1 BY=SONDEREGGER
      0 BY=KELLY(2N)BY=SONDEREGGER
S2      4 AU=(SONDEREGGER, K OR SONDEREGGER K? OR
        KELLY(2N)SONDEREGGER) OR BY=(KELLY(2N)SONDEREGGER)
```

**? S AU=(young, r OR young r? OR russell(2N)young) OR BY=(russell(2N)young)**

>>>One or more prefixes are unsupported

>>> or undefined in one or more files.

>>>Input error: Numeric characters expected

>>>Input error: Numeric characters expected

```
      3 AU=YOUNG, R
      1100 AU=YOUNG R?
81615 AU=RUSSELL
85794 AU=YOUNG
      20 AU=RUSSELL(2N)AU=YOUNG
      811 BY=RUSSELL
      462 BY=YOUNG
      0 BY=RUSSELL(2N)BY=YOUNG
S3      1108 AU=(YOUNG, R OR YOUNG R? OR RUSSELL(2N)YOUNG) OR
        BY=(RUSSELL(2N)YOUNG)
```

**? S AU=(robertson, j OR robertson j? OR john(2N)robertson) OR  
BY=(john(2N)robertson)**

>>>One or more prefixes are unsupported

>>> or undefined in one or more files.

>>>Input error: Numeric characters expected

>>>Input error: Numeric characters expected

```
      58 AU=ROBERTSON, J
      371 AU=ROBERTSON J?
1057902 AU=JOHN
41816 AU=ROBERTSON
      3006 AU=JOHN(2N)AU=ROBERTSON
      9703 BY=JOHN
      36 BY=ROBERTSON
      0 BY=JOHN(2N)BY=ROBERTSON
S4      3274 AU=(ROBERTSON, J OR ROBERTSON J? OR
        JOHN(2N)ROBERTSON) OR
```

BY=(JOHN(2N)ROBERTSON)

**? S AU=(perkins, a OR perkins a? OR (arn or arnold)(2N)perkins) OR BY=((arn or arnold)(2N)perkins)**

```
>>>One or more prefixes are unsupported
>>> or undefined in one or more files.
>>>Input error: Numeric characters expected
>>>Input error: Numeric characters expected
>>>Input error: Numeric characters expected
      2 AU=PERKINS, A
      0 AU=PERKINGS A?
     38 AU=ARN
    30444 AU=ARNOLD
     6321 AU=PERKINS
      1 (AU=ARN OR AU=ARNOLD) (2N)AU=PERKINS
      0 BY=ARN
     432 BY=ARNOLD
    1994 BY=PERKINS
      0 (BY=ARN OR BY=ARNOLD) (2N)BY=PERKINS
S5      3 AU=(PERKINS, A OR PERKINGS A? OR (ARN OR
      ARNOLD) (2N)PERKINS) OR BY=((ARN OR
ARNOLD) (2N)PERKINS)
```

**? s ((ARN OR ARNOLD)(2N)PERKINS) or (JOHN(2N)ROBERTSON) or (RUSSELL(2N)YOUNG) or (KELLY(2N)SONDEREGGER)**

>>>Unmatched parentheses

**? s ((ARN OR ARNOLD)(2N)PERKINS) or (JOHN(2N)ROBERTSON) or (RUSSELL(2N)YOUNG) or (KELLY(2N)SONDEREGGER)**

Processing

Processing

Processing

Processing

Processing

Processing

Processed 10 of 51 files ...

Processed 30 of 51 files ...

Processing

Completed processing all files

```
31881 ARN
670282 ARNOLD
269075 PERKINS
      146 (ARN OR ARNOLD) (2N)PERKINS
15393610 JOHN
537418 ROBERTSON
31952 JOHN (2N)ROBERTSON
1265368 RUSSELL
9382499 YOUNG
      3061 RUSSELL(2N)YOUNG
1577178 KELLY
      2037 SONDEREGGER
```

3 KELLY(2N)SONDEREGGER  
 S6 35143 ((ARN OR ARNOLD)(2N)PERKINS) OR (JOHN(2N)ROBERTSON)  
 OR  
 (RUSSELL(2N)YOUNG) OR (KELLY(2N)SONDEREGGER)

? ds

Set	Items	Description
S1	91945090	PD<20010330
S2	4	AU=(SONDEREGGER, K OR SONDEREGGER K? OR KELLY(2N)SONDEREGG- ER) OR BY=(KELLY(2N)SONDEREGGER)
S3	1108	AU=(YOUNG, R OR YOUNG R? OR RUSSELL(2N)YOUNG) OR BY=(RUSSE- LL(2N)YOUNG)
S4	3274	AU=(ROBERTSON, J OR ROBERTSON J? OR JOHN(2N)ROBERTSON) OR - BY=(JOHN(2N)ROBERTSON)
S5	3	AU=(PERKINS, A OR PERKINGS A? OR (ARN OR ARNOLD)(2N)PERKIN- S) OR BY=((ARN OR ARNOLD)(2N)PERKINS)
S6	35143	((ARN OR ARNOLD)(2N)PERKINS) OR (JOHN(2N)ROBERTSON) OR (RU- SSELL(2N)YOUNG) OR (KELLY(2N)SONDEREGGER)

? s s1 and (s2 or s3 or s4 or s5 or s6)

Processing

Processing

Processing

Processing

Processing

Processing

Processed 10 of 51 files ...

Processing

Processed 20 of 51 files ...

Processing

Processing

Processed 50 of 51 files ...

Completed processing all files

91945090 S1

4 S2

1108 S3

3274 S4

3 S5

35143 S6

S7 8835 S1 AND (S2 OR S3 OR S4 OR S5 OR S6)

? s (anonymous or anonymously or anonymity or private or privately or secret or  
 secretly)(3n)((credit or account)(2w)(card or number or numbers))

Processing

Processing

Processing

Processing  
 Processing  
 Processing  
 Processing  
 Processing  
 Processing  
 Processing  
 Processing  
 Processed 10 of 51 files ...  
 Processing  
 Processing  
 Processed 20 of 51 files ...  
 Processing  
 Processed 30 of 51 files ...  
 Processing  
 Processed 50 of 51 files ...  
 Processing  
 Completed processing all files  
     539974 ANONYMOUS  
     107934 ANONYMOUSLY  
     408419 ANONYMITY  
     13821246 PRIVATE  
     2348643 PRIVATELY  
     2071100 SECRET  
     240156 SECRETLY  
     9718472 CREDIT  
     7025855 ACCOUNT  
     4623282 CARD  
     28504079 NUMBER  
     6183457 NUMBERS  
 S8 16769 (ANONYMOUS OR ANONYMOUSLY OR ANONYMITY OR PRIVATE OR  
     PRIVATELY OR SECRET OR SECRETLY) (3N) ((CREDIT OR  
     ACCOUNT) (2W) (CARD OR NUMBER OR NUMBERS))

? ds

Set	Items	Description
S1	91945090	PD<20010330
S2	4	AU=(SONDEREGGER, K OR SONDEREGGER K? OR KELLY(2N)SONDEREGG- ER) OR BY=(KELLY(2N)SONDEREGGER)
S3	1108	AU=(YOUNG, R OR YOUNG R? OR RUSSELL(2N)YOUNG) OR BY=(RUSSE- LL(2N)YOUNG)
S4	3274	AU=(ROBERTSON, J OR ROBERTSON J? OR JOHN(2N)ROBERTSON) OR - BY=(JOHN(2N)ROBERTSON)
S5	3	AU=(PERKINS, A OR PERKINS A? OR (ARN OR ARNOLD) (2N)PERKIN- S) OR BY=((ARN OR ARNOLD) (2N)PERKINS)
S6	35143	((ARN OR ARNOLD) (2N)PERKINS) OR (JOHN(2N)ROBERTSON) OR (RU-



SSELL(2N)YOUNG) OR (KELLY(2N)SONDEREGGER)  
 S7 8835 S1 AND (S2 OR S3 OR S4 OR S5 OR S6)  
 S8 16769 (ANONYMOUS OR ANONYMOUSLY OR ANONYMITY OR PRIVATE OR  
 PRIVA-  
 TELY OR SECRET OR SECRETLY)(3N)((CREDIT OR  
 ACCOUNT)(2W)(CARD -  
 OR NUMBER OR NUMBERS))

? s s7 and s8

8835 S7  
 16769 S8  
 S9 0 S7 AND S8

? s s1 and s8

Processing  
 Processing  
 Processing  
 Processing  
 Processed 20 of 51 files ...  
 Completed processing all files  
 91945090 S1  
 16769 S8  
 S10 6468 S1 AND S8

>>> Retrying request [1]

? s s10 and ((link or links or linked or linking or associate or associated or associates  
 or association or associating)(3n)((master or main)(2w)(accton or credit)))

Processing  
 Processing  
 Processing  
 Processing  
 Processing  
 Processing  
 Processing  
 Processing  
 Processing  
 Processing  
 Processed 10 of 51 files ...  
 Processing  
 Processed 20 of 51 files ...  
 Processing  
 Processed 40 of 51 files ...  
 Processing  
 Completed processing all files  
 6468 S10  
 4163220 LINK  
 2765484 LINKS  
 2812565 LINKED  
 1081922 LINKING  
 1995518 ASSOCIATE  
 424 ASSOCIATED

```

3505220 ASSOCIATES
11130890 ASSOCIATION
103819 ASSOCIATING
2748279 MASTER
10370756 MAIN
130 ACCONT
9718472 CREDIT
47 (((((((LINK OR LINKS) OR LINKED) OR LINKING) OR
ASSOCIATE) OR ASSOCIATED) OR ASSOCIATES) OR
ASSOCIATION)
OR ASSOCIATING) (3N) (MASTER OR MAIN) (2W) (ACCONT OR
CREDIT)
S11 1 S10 AND ((LINK OR LINKS OR LINKED OR LINKING OR
ASSOCIATE
OR ASSOCIATED OR ASSOCIATES OR ASSOCIATION OR
ASSOCIATING) (3N) ((MASTER OR MAIN) (2W) (ACCONT OR
CREDIT)))

```

? t s11/k/1

**Dialog eLink:** [Order File History](#)  
11/K/1 (Item 1 from file: 349)  
DIALOG(R)File 349: PCT FULLTEXT  
(c) 2009 WIPO/Thomson. All rights reserved.

	Country	Number	Kind	Date
Patent				19

### Detailed Description:

...credit cards. A credit card holder may obtain one or more secondary credit cards from the issuer, as for example for family members, that are **linked** to the **main credit** card. The secondary credit cards are functionally identical to the main credit card in all respects and, indeed, typically bear the same account number and...to be obscured from the user, thereby maintaining the confidentiality of this information. The merchant buffer is delivered to the online merchant upon completion.

The **private credit card** information detected in data returning to the surrogate system is intercepted. Upon being intercepted, the credit card information is substituted with generic text, for example...

### Claims:

...the credit card number, type, and expiration date into the appropriate 4516 fields in the online merchant buffer and deliver to the online merchantIntercept **private credit card** information on all data returning to browser 4 51 8and substitute with text

("\*\*") to be displayed to spenderIGenerate and provide a substitute...

? t s11/9/1

**Dialog eLink:** [Order File History](#)  
11/9/1 (Item 1 from file: 349)  
DIALOG(R)File 349: PCT FULLTEXT  
(c) 2009 WIPO/Thomson. All rights reserved.

00761426

**METHOD AND APPARATUS FOR SURROGATE CONTROL OF NETWORK-BASED ELECTRONIC TRANSACTIONS**

PROCEDE ET APPAREIL PERMETTANT LA COMMANDE AUXILIAIRE DE  
TRANSACTIONS ELECTRONIQUES EN RESEAU

**Patent Applicant/Patent Assignee:**

- **THE COCA-COLA COMPANY**  
P.O. Box 1734, Atlanta, GA 30301; US; US(Residence); US(Nationality); (For all designated states except: US)

**Patent Applicant/Inventor:**

- **CHEONG Leslie**  
1236 Emory Street, San Jose, CA 95126; US; US(Residence); US(Nationality);  
(Designated only for: US)
- **MASON Jeffrey A**  
26885 Ortega Drive, Los Altos Hills, CA 94022; US; US(Residence);  
US(Nationality); (Designated only for: US)
- **VOGT David A**  
15112 Shining Star Lane, San Leandro, CA 94579; US; US(Residence);  
US(Nationality); (Designated only for: US)

**Legal Representative:**

- **BIRCH Anthony L(agent)**  
Finnegan, Henderson, Farabow, Garrett & Dunner, L.L.P., 1300 I Street,  
Washington, DC 20005-3315; US;

	Country	Number	Kind	Date
Patent	WO	200073934	A2	20001207
Application	WO	2000US14767		20000526
Priorities	US	99136734		19990528

**Designated States:** (Protection type is "Patent" unless otherwise stated - for applications prior to 2004)

AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG,  
BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK,  
DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM,  
HR, HU, ID, IL, IN, IS, JP, KE, KG, KP,  
KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA,  
MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL,  
PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ,  
TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU,  
ZA, ZW

[EP] AT; BE; CH; CY; DE; DK; ES; FI; FR; GB;  
GR; IE; IT; LU; MC; NL; PT; SE;

[OA] BF; BJ; CF; CG; CI; CM; GA; GN; GW; ML;  
MR; NE; SN; TD; TG;

[AP] GH; GM; KE; LS; MW; MZ; SD; SL; SZ; TZ;  
UG; ZW;

[EA] AM; AZ; BY; KG; KZ; MD; RU; TJ; TM;

#### Main International Patent Classes (Version 7):

IPC	Level
G06F-017/60	Main

**Language** Publication Language: English

Filing Language: English

Fulltext word count: 28539

**English Abstract:**

**French Abstract:**

L'invention concerne un système auxiliaire permettant la commande transparente de transactions de commerce électronique, à travers lequel un individu sans carte de crédit peut effectuer des achats sur des sites de vente en ligne. Lors de l'ouverture d'un compte dans le système auxiliaire, ce compte peut être crédité au moyen de diverses sources de financement, p. ex. des cartes de crédit, des comptes chèques, des mandats, des chèques cadeau, des codes d'intérêt, de la monnaie en ligne, des coupons et des cartes à valeur stockée. Un utilisateur possédant un compte crédité peut effectuer des achats sur de nombreux sites Web de vente, par l'intermédiaire du système auxiliaire. Lorsqu'une marchandise est sélectionnée, une transaction d'achat est effectuée au cours de laquelle une carte de crédit appartenant au système auxiliaire est temporairement ou définitivement attribuée à l'utilisateur. La carte de crédit, une fois créditée par le compte crédité correspondant de l'utilisateur, s'utilise pour conclure la transaction d'achat. Le système auxiliaire fournit des commandes comprenant la surveillance des trains de données et, par conséquent, la commande du flux d'informations entre l'utilisateur et les sites de vente.

### Legal Status

Type	Pub. Date	Kind	Text
Publication	20001207	A2	Without international search report and to be republished upon receipt of that report.
Examination	20010823		Request for preliminary examination prior to end of 19th month from priority date
Correction	20020404		Corrected version of Pamphlet:
Republishing	20020404	A2	Without international search report and to be republished upon receipt of that report.
Declaration	20020725		Late publication under Article 17.2a
Republishing	20020725	A2	With declaration under Article 17(2)(a); without abstract; title not checked by the International Searching Authority.

### Detailed Description:

#### METHOD AND APPARATUS FOR SURROGATE CONTROL OF NETWORK-BASED ELECTRONIC TRANSACTIONS BACKGROUND OF THE INVENTION

##### Field of the Invention

This invention relates to the field of electronic commerce. In particular, the invention relates to surrogate control of electronic commerce transactions.

##### 1.0 Description of the Related Art

The rapid growth and expansion of network and Internet technologies has facilitated electronic commerce transactions, particularly in the area of consumer

retail goods. Taking advantage of the widespread availability of the Internet, numerous retailers have gone online with retail shopping sites on the World Wide Web (web). These sites allow consumers to shop easily and conveniently from the comfort of their homes and offices. However, access to electronic shopping is limited to those possessing specific forms of credit or cash that can be transferred electronically.

Numerous non-cash techniques are typically used for executing purchase transactions among purchasers and online merchants. Indeed, numerous types of credit cards and banking cards are in widespread use. For example, a credit card can be used to effect online purchases, with the transaction being paid for by a credit card clearing house or bank and creating a credit obligation for the owner of the credit card. Another type of card which looks like a credit card but functions differently is the debit card. The debit card is used much like a credit card in that it is tendered by the purchaser to an online merchant for payment.

Payment is effected from a bank to the merchant and the funds are deducted directly from the card holder's bank account.

However, the problem with credit cards and debit cards is that certain conditions have to be met for issuance, conditions that can include restrictions on age and financial criteria. As a result, many consumers do not meet the requirements for credit card or debit card issuance, thereby eliminating them from the ranks of online shoppers. Furthermore, the negative security implications associated with exposing credit card or debit card account numbers over a public network like the Internet make many consumers uncomfortable.

Thus, while many of these consumers have the technology and financial resources available, they are put out of reach of online merchants because they do not have a particular form of financial resources.

As an alternative to cash and credit cards, stored value cards are now available. Stored value cards require the purchase of a card which looks much like a credit card, but which has a limited amount of available value to be spent.

The balance is contained in a magnetic strip or computer chip in the card. As the stored value card is used, the remaining balance on the card is depleted.

However, like some debit cards, stored value cards do not enjoy the functionality of credit cards in many business transactions, particularly electronic commerce purchases.

One possible solution to this problem for some, particularly minor children, is found in secondary credit cards. A credit card holder may obtain one or more secondary credit cards from the issuer, as for example for family members, that are

**linked** to the **main credit** card. The secondary credit cards are functionally identical to the main credit card in all respects and, indeed, typically bear the same account number and differ from the primary card only in the name of the person who is authorized to use the secondary card. Any purchases made with the secondary credit cards are debited against the credit limit of the single account in which the primary and secondary cards are issued.

Thus, the main or primary cardholder has no control over the spending power or abilities of the secondary credit cards linked to his card, beyond the fact that the total of all debts incurred by all cards on the account cannot exceed the credit limit of the main credit card.

2

These secondary credit cards, therefore, are problematic because the secondary cardholders can quickly accumulate a significant outstanding balance on the main credit card account, thus reducing the main cardholder's spending power. Most importantly, the main cardholder is not aware of the decrease in the available credit or spending limit as a result of expenditures by a secondary cardholder. Consequently, there is a need for a system or service that enables those without a credit card, for example teenage children, to shop and buy at online merchants without requiring a credit card.

3

### SUMMARY OF THE INVENTION

A method and apparatus for surrogate control of electronic commerce transactions are provided that include a surrogate system through which an individual without a credit card is enabled to shop at online merchant sites.

Upon opening an account within the surrogate system, the account can be funded using numerous fund sources, for example credit cards, checking accounts, money orders, gift certificates, incentive codes, online currency, coupons, and stored value cards. A user with a funded account can shop at numerous merchant web sites through the surrogate system using a typical I/O client computer World Wide Web (web) browser. When merchandise is selected for purchase, a purchase transaction is executed in which a credit card belonging to the surrogate system is assigned to the user. The assignment can be permanent or temporary. The credit card is loaded with funds from the user's corresponding funded account, and used to complete the purchase transaction. While the surrogate system is transparent to the user, controls are provided that include monitoring the data streams and, in response, controlling the information flow between the user and the merchant sites.

The descriptions provided herein are exemplary and explanatory and are provided as examples of the claimed invention.

4

### BRIEF DESCRIPTION OF THE FIGURES

The accompanying drawings illustrate embodiments of the claimed

invention. In the drawings.

Figure 1 is a block diagram of a surrogate system for control of electronic commerce or retail transactions of an embodiment.

Figure 2 is a block diagram of a surrogate system for control of network-based electronic transactions of an alternate embodiment.

Figure 3 is a block diagram of a surrogate system of another alternate embodiment.

FIGURE 4 is a home page or information page provided by a surrogate of an embodiment.

Figure 5 is a flow chart for an account activation process of an embodiment.

Figure 6 is a home page from which a user wishing to sign up for the surrogate service would click on or select the "signup" icon to begin navigating through the signup process.

Figures 7 and 8 show a signup page of an embodiment.

Figure 9 is a signup congratulations page of an embodiment.

Figure 10 is a flow chart for an account funding process of an embodiment.

Figure 11 is a congratulations page of an embodiment.

Figure 12 is a portion of a funding page of an embodiment.

Figure 13 is a credit card billing confirmation page of an embodiment.

Figure 14 is a funding confirmation page of an embodiment.

Figure 15 is another portion of a funding page of an embodiment.

Figure 16 is a parent/administrator login and set-up page of an embodiment.

Figure 17 is an auto-allowance funding page of an embodiment.

Figure 18 is a home page of an embodiment from which a user selects a "gift certificate" icon.



Figure 19 is a gift certificate options page of an embodiment.

5

Figures 20 and 21 are a gift certificate purchase page of an embodiment.

Figure 22 is a flow chart for a currency conversion and aggregation process of an embodiment.

Figure 23 is a flow chart for surrogate control of a shopping process of an embodiment.

Figure 24 is a shopping page of an embodiment.

Figure 25 is a merchandise type-specific shopping page of an embodiment.

Figure 26 is another merchandise type-specific shopping page of an embodiment.

Figure 27 is a shopping page of an embodiment including an alphabetical list of all online merchants available through the surrogate system.

Figure 28 is a shopping page of an embodiment from which a shopping 1 5 session begins.

Figure 29 is a web page of a selected merchant site as presented through the surrogate system of an embodiment.

Figure 30 is a web page containing merchandise of a selected merchant site as presented through the surrogate system of an embodiment.

Figure 31 is a shopping bag list web page of a selected merchant site as presented through the surrogate system of an embodiment.

Figure 32 is another web page containing merchandise of a selected merchant site as presented through the surrogate system of an embodiment.

Figure 33 is an updated shopping bag list web page of a selected merchant site as presented through the surrogate system of an embodiment.

Figures 34-37 show the check out web pages of a selected merchant site as presented through the surrogate system of an embodiment.

Figure 38 is a coupon page of a surrogate system of an embodiment.

Figures 39 and 40 are a check out confirmation page of a selected merchant site as presented through the surrogate system of an embodiment.

6

Figure 41 is a congratulations page presented by the surrogate system of an embodiment.

Figure 42 is a shopping page displayed by a surrogate system of an embodiment.

Figure 43 is an account summary page displayed by a surrogate system of an embodiment.

Figure 44 is an account information page displayed by a surrogate system of an embodiment.

Figure 45 is a flow chart for purchasing goods and services through a surrogate system of an embodiment.

Figure 46 is a flow chart for modifying a web page in an embodiment.

Figure 47 is a flow chart for processing transmissions from a surrogate system of an embodiment to a client browser.

Figure 48 is a merchant check out page prior to automatic fill by the 1 5 form fill engine of an embodiment.

Figure 49 is a merchant check out page displaying a trainer launch button or icon of an embodiment.

Figure 50 is a training information page of an embodiment.

Figure 51 is training information page of an embodiment including saved form fill settings.

Figure 52 is a merchant check out page following automatic fill by the form fill engine of an embodiment.

Figure 53 is a Purchase Wizard, or Pay Wizard, information page or form of an embodiment.

Figure 54 is a merchant check out page without a Purchase Wizard template of an embodiment.

Figure 55 is a merchant check out page with a Purchase Wizard template of an embodiment.

Figure 56 shows an icon of an embodiment inserted into a merchant check out page.

Figure 57 is a flow chart of an automatic form fill of an embodiment.

7

Figure 58 is a flow chart for a form fill training process of an embodiment.

Figure 59 is a flow chart for a data stream monitoring process of an embodiment.

Figure 60 is a flow chart of a payment transaction of an embodiment.

8

#### DETAILED DESCRIPTION

A method and apparatus for surrogate control of network-based electronic commerce or retail transactions are provided in which a World Wide Web ("web") site is provided by a surrogate system that allows anyone not having or not eligible for a credit card, like teenagers and young adults, to shop at online merchant electronic storefronts such as amazon.com and bamesandnoble.com when provided with an account. The account can be funded personally or by another. Advantages of this method and apparatus are numerous.

One advantage of the surrogate web site is that it does not detract from the actual online shopping experience. The spenders shop on the merchant site as if they accessed the site directly without going through the surrogate web site. Furthermore, spenders do not have to enter credit card information to complete their purchases. In fact, spenders do not have to fill out the confusing 15 payment pages that merchants provide for check out. Moreover, in the case of young people, an advantage is realized in that they have the freedom and independence to shop on their own while giving their parents the peace of mind that comes with security, control, and the opportunity to teach financial responsibility.

Another advantage is that special software is not required to be installed on either the client, user, or merchant end of the transaction. As such, spenders and funders are not required to install any software on their personal computers in addition to a typical web browser that provides network access, for example Internet access. Also, the online merchants are not required to install any special server software or modify their web pages in order to accommodate the surrogate transactions. As the surrogate system funds the online transactions, eligible spenders using the surrogate system are not allowed to see the credit card numbers used to complete the merchant transaction. Because these credit cards are actually owned by the surrogate in an embodiment, these numbers are not provided to the spenders or any other party to the transaction.

Figure 1 is a block diagram of a surrogate system 100 for control of electronic commerce or retail transactions of an embodiment. The surrogate system 100 is coupled among users 102 and online merchant web sites 104 via at least one network 106. The network 106 includes the Internet, local area networks, wide area networks, wired networks, and wireless networks.

Furthermore, different components of the surrogate system 100 can be located at different physical locations and linked via network couplings.

The surrogate system 100 uses proxy-caching technology that enables it to allow spenders seemingly full access to an online merchant shopping site 10 while allowing the surrogate system 100 to maintain complete control of the transactional information, including credit card exposure. In an embodiment, the surrogate system 100 comprises a Sun Ultra 250 single 400 megahertz (MHz) central processing unit (CPU) with six 9-gigabyte Small Computer System Interface (SCSI) disks, an ethernet network adaptor, a DLT 70-gigabyte 1.5 tape drive device, the Solaris 2.6 Operating System, a Hypertext Transfer Protocol (HTTP) server, and an Oracle database, but is not so limited. In an embodiment, the tape drive device will be installed on the database server and backups will occur on a regular periodic basis. For more immediate data redundancy, the hard disk storage for the HTTP machine will employ redundant array of independent disks (RAID), or redundant array of inexpensive disks, disk mirroring. In this manner, if one set of disks go down, the server can remain online with the mirror disks while the original disks are being repaired.

The transactions available using the surrogate system 100 include guest browsing, account setup or activation, funder logon, spender logon, funder account review, funder transactional information, spender account review, spender transactional information, spender shopping at an online merchant, and spender purchase transactions, but are not so limited. As one can open and fund an account for themselves, a spender and a funder can be one in the same.

Guest browsing 1 includes people accessing the surrogate web server 110 through the surrogate web site to get information about the surrogate services and get links to sign up for surrogate services. The web server 110 also maintains a database 112 of information. This operation is a Hypertext Transfer Protocol (HTTP) operation, but is not so limited.

The user/funder logon 2 is used when a user or funder wants to set up an account, or if a user or funder with existing accounts wants to look at their transaction history 3 or shop 4. This transaction accesses the database 112. The process of setting up new accounts protects the private information of the funder, including any credit card information the funder may use for depositing into a spender account. Once accounts are established, all further transactions with the accounts use the database 112. Logging onto

the database 112 results in a logon transaction to the database 112 to verify the identity of the client before proceeding.

The database 112 maintains the information for the funders, spenders, merchants, and transactions registered within the surrogate system 100, per user and per surrogate credit card. The transactional information includes deposits 115 into a spender account in addition to all spender purchases. Purchase transactions 115, in addition to the individual line items, are logged as separate database entries, but are not so limited. As a result, a transaction table handles the transaction entries.

Database access is not necessary for all actions performed using the surrogate system 100. Functions including logon, or login, and review of account information access the database 112 in an embodiment. Also, when a spender buys products, the database 112 is accessed. However, during the shopping process of an embodiment the database 112 may not be used. Therefore, an embodiment of the database engine does not require advanced performance features such as replication and partitioning, but is not so limited.

Figure 2 is a block diagram of a surrogate system 200 for control of network-based electronic transactions of an alternate embodiment. The surrogate system 200 includes, but is not limited to, at least one surrogate system management web site 202, at least one surrogate system database 204, at least one surrogate shopping proxy server 206, at least one surrogate electronic mail proxy 208, at least one surrogate bank 210, fraud detection devices 214, 11 and at least one merchant pay page tool 212. The surrogate system 200 is accessed by users with a web browser 290 hosted on a client computer. The surrogate system 200 provides shopping access to electronic merchant shopping sites 292.

The surrogate system 200 is coupled among client computers 290, online merchant shopping or web sites 292, and a financial or credit system/network 294 via at least one network 299. The coupling network 299 includes the Internet, local area networks, wide area networks, wired networks, and wireless networks. Furthermore, the components 202-214 of the surrogate 100 system 200 can be located at different physical locations and linked via different network couplings.

Figure 3 is a block diagram of a surrogate system 200 of another alternate embodiment. The surrogate system 200 includes, but is not limited to, a surrogate system management web site, surrogate system databases, surrogate 115 shopping proxy servers, a surrogate electronic mail proxy, a surrogate bank, fraud detection devices, and a merchant pay page tool. The surrogate system 200 is accessed by a user using a web browser 290 hosted on a client computer, and provides shopping access to electronic merchant shopping sites 292.

The surrogate system 200 is coupled to financial systems including a credit card system 294, an Automatic Teller Machine (ATM) network or system 302, a

stored value card network or system 304, a partner redemption site or network 306, and an incentive code conversion site or network 308. The surrogate system 200 is coupled among client computers 290, online merchant shopping or web sites 292, and the financial systems 294-308 via at least one network 299 including the Internet, local area networks, wide area networks, wired networks, and wireless networks. Furthermore, different components of the surrogate system can be located at different physical locations and linked via network couplings.

In using the surrogate system, a user creates a new account prior to merchant shopping. A new account can be created by a user without charge, but is not so limited. To create a new account, a user enters the surrogate system

12

management web site. The user navigates to and enters the area to create a new account. The following information is received from the user using prompts or a template: logon name-, password; password hint; email address; date of birth; and, any promotion code. The date of birth is used for those sites where the user's age is required; also, it is used for Children's Online Privacy & Protection Act (COPPA) processing. The optional promotion code is used to immediately give the user any sign up promotions (i.e. radio promotion, money for referring another customer, free coupons, etc.). If either the logon name or email address entered as a selection by the user is already taken, the surrogate system so I 0 informs the user and takes the user back to the sign-up page.

Upon receipt of the user information, a user account is created in the surrogate system database. The user is provided with credit for any money, coupons, or credits based on the promotion code inputted. Using the provided date of birth, a determination is made whether the user is under 13 years of age.

1 5 If the user is determined to be under 13 years of age, COPPA processing is performed and creation of an account for the user is terminated. When the user is determined to be 13 years of age or older, an account is created. The user is taken to the surrogate home page from which they can view account information, add money to accounts, or shop, for example.

The surrogate system of an embodiment supports COPPA processing because COPPA was enacted to limit the types of operations provided to users under 13 years of age. The COPPA processing can occur when a new account is created or when someone logs into an account, but is not so limited. When it is determined that the user is under 13 years of age, the surrogate system prevents the user from editing their date of birth. The user is subsequently redirected to a page informing them that parental approval is required, and requesting a parent or guardian email address. If a parent/guardian email address is provided, the surrogate system transmits a parental approval email to the parent email address. The user account is inactivated until parental approval is obtained.

13

The parental approval email includes a request for the parent to approve

or deny the child access to the system. To deny access, the parent goes to the surrogate system management web site page, specifies the user's account, and disables the account. To approve access, the parent goes to the surrogate system management web site page and conforms with one of two available alternatives. Using a first alternative, the parent may use a credit card to prove that they are an adult. The parent may either authorize use of the account by the minor child or deposit money into the child's account; in either case, the surrogate system uses the credit card network to do the authorization/billing. If I 0 successful, the child's account is automatically activated. Using a second alternative, the parent may send a written affidavit of permission to the surrogate system providers. Upon receipt of the affidavit the child's account is activated.

Figure 4 is a home page 400 or information screen provided by a surrogate of an embodiment. The home page 400 is presented upon initial contact with the surrogate system web site, and comprises information on the services provided by the surrogate 402, advertisements 404, and electronic links to other surrogate web pages 406. The surrogate web pages accessible using the electronic links from the information screen comprise sign up pages, additional information pages, shopping pages, login pages, terms, and privacy screens.

Figure 5 is a flow chart for an account activation process of an embodiment. Operation begins when a user enters the surrogate system web site 502 using a browser on the user computer. The user is prompted to input information appropriate for activation of a surrogate system account 504. Upon submission and acceptance of the inputted user information, an account is activated for the user 506.

Figures 6-9 show the web pages for the signup process of an embodiment. Figure 6 is a home page 600 from which users wishing to signup for the surrogate service would click on or select the "signup" icon 602 with a cursor to begin navigating through the signup process. Selection of the @Csignup" icon 602 results in presentation of signup pages to the users.

1 4

Figures 7 and 8 show a signup page 700 of an embodiment. The signup page 700 prompts users to enter a username 702, password 704, password hint 706, email address 708, and date of birth 710, but is not so limited. The signup page 700 also includes electronic links, advertising banners, and incentive offers to online merchants 712 and links to other surrogate system pages including a help area 714 and a privacy policy 716. Following input of the requested information, users wishing to signup would select the "Sign Up" icon 718.

Selection of the "Sign Up" icon 718 results in submission of the requested information and, upon acceptance of the requested information by the surrogate system, activation of a shopping account within the surrogate system.

Activation of a shopping account results in users being presented with a

congratulations page 900.

Figure 9 shows a congratulations page 900 of an embodiment. The congratulations page 900 informs users that they now have a shopping account 1 5 within the surrogate system and provides them with information about the surrogate system services. Furthermore, the congratulations page 900 provides users with their usernames 902 and account balances 904, but is not so limited.

The congratulations page 900 also provides electronic links that allow the user to navigate to areas of the surrogate system from which they may shop 906, earn shopping incentives 908, and fund their account 91 0, but is not so limited.

Figure 10 is a flow chart for an account funding process of an embodiment. Operation begins when a user enters the surrogate system web site 1002 using a browser on the user computer. The user selects a funding type 1004. The user is prompted to input information appropriate for the funding source selected 1006. The surrogate system checks and validates the funding source 1008. Upon approval and validation of the funding source, the funds are credited or applied to a selected account IO 1 0.

Once created, an account is funded prior to executing purchase transactions or concurrently with a purchase transaction. Figures 11-14 show the surrogate web pages for the account funding process of an embodiment. In an embodiment, numerous funding types are accommodated including, but not 1 5 limited to: credit cards; auto-allowance; check; money order; gift certificate; currency conversion; incentive code conversion; earning credit at the surrogate management web site; earning credit at an online merchant web site; automatic teller machine (ATM); and, offline stored value cards. Regardless of the funding type used, the money is not loaded to the user's individual credit card, when one is assigned, until the user attempts to spend at a merchant site.

Figure 1 1 shows a congratulations page I I 00 of an embodiment. The user manipulates a cursor to select an electronic link I 1 02 on the congratulations page 1 1 00 that takes the user to an area of the surrogate system I 0 from which they can add funds to their account.

Figure 12 is a portion of a funding page 1200 of an embodiment. The funding page 1200 prompts the user to select a type or method of funding from types including, but not limited to, a gift certificate 1202, a check or money order 1204, or a credit card 1206. If credit card funding is selected, the user 5 enters information including the amount funded 1208, the credit card number 12 1 0, the credit card expiration date 1212, the name as it appears on the credit card 1214, the credit card billing address 1216, and the card holder's telephone number 1218. Following selection of a funding type and inputting of the corresponding information, the user submits the information to the surrogate system by



selecting a "submit" icon 1220. The funding page 1200 also includes electronic links 1222 to shopping areas of the surrogate system.

When funding a surrogate account with a credit card, the user or funding individual logs into the surrogate management site and navigates to the Add Money section of the site. A funder can add money to their own account or the surrogate account of another. The funder is prompted to provide information about the credit card used for funding, information including name, address, email, credit card number, and expiration date. The surrogate fraud detection system executes a fraud check on the credit card used for funding. If the funding credit card is determined to be good by the fraud detection system, the

funding credit card information is provided to the credit system for a determination as to whether charges can be made to the funding credit card. If

16

the credit system returns an approval for the funding credit card, then the requested amount is charged against the funding credit card and applied to the selected surrogate system account.

Figure 13 is a credit card billing confirmation page 1300 of an embodiment. In response to a funding page submission that funds using a credit card, the user is presented with the credit card billing confirmation page 1300.

The user confirms the funding charges to the credit card by selecting the "OK" icon 1302. Funding with the credit card can be canceled by selecting the "Cancel" icon 1304.

Figure 14 is a funding confirmation page 1400 of an embodiment. The funding confirmation page 1400 is presented upon successful completion of a credit card funding transaction within the surrogate system. The funding confirmation page 1400 presents information including logon name 1402, deposit amount 1404, and total balance 1406, but the embodiment is not so limited. Moreover, the funding confirmation page 1400 includes an electronic link 1408 to at least one shopping area of the surrogate system.

Auto-allowance funding is an optional method of periodically funding an account from a credit card, checking account, and automatic transfer from another account, but is not so limited. When auto-allowance is selected by a user or funder, the funder is prompted for additional information including, but not limited to, a type of funding, a funding period (for example, whether funding should occur weekly or monthly), and a day of the week or month on which funding is desired.

When auto-allowance funding is performed with a credit card, at some time during the specified day of the week or month, the funder's credit card is checked using the fraud detection system and the credit system. The amount specified for funding is charged against the funder's credit card and the selected surrogate system account is credited with the amount upon approval of the credit charge by the issuing authority.

When auto-allowance funding is performed with a checking account, at some time during the specified day of the week or month, an electronic funds  
1 7

withdrawal is performed from the funder's checking account. The user's surrogate system account is credited with the requested amount upon clearance of this transaction.

When auto-allowance funding is performed with an automatic transfer from another account, at some time during the specified day of the week or month, the transfer is made between the designated accounts of the surrogate system. The user's surrogate system account is credited with the requested amount upon successful completion of the transfer.

Figure 15 is another portion of a funding page 1500 of an embodiment.

1 0 The funding page 1500 allows a parent or guardian to navigate to an autoallowance funding screen by selecting the "My Parent" funding option 1502 and submitting the information to the surrogate system. Submission of the "My Parent" funding option results in the presentation of a parent/administrator login and set-up page 1600.

1 5 Figure 16 is a parent/administrator login and set-up page 1600 of an embodiment. The login portion of the page 1610 is used if the parent/administrator is already registered with the surrogate system. The set-up portion of the page 1620 is used if the parent/administrator is not registered with the surrogate system.

The login portion of the page 1610 prompts the parent/administrator for a username 1612 and password 1614. The username 1612 and password 1614 are entered, and submitted to the surrogate system by selecting the "login" icon 1616.

The set-up portion of the page 1620 prompts the parent/administrator for information including the selection and entry of a username 1622, password 1624, password hint 1626, and email address 1628. The set-up information is submitted to the surrogate system by selecting the "Sign Up" icon 1630.

Following successful login or registration by a parent/administrator, an auto-allowance funding page 1700 is presented. Figure 17 is an auto-allowance funding page 1700 of an embodiment. This page 1700 prompts the parent/administrator for information including a one-time amount funded 1702,  
1 8  
and information about the credit card used for funding including the credit card number 1704, the credit card expiration date 1706, the first and last name of the card holder as it appears on the credit card 1708, the credit card billing address 1710, and the card holder's telephone number 1712.

Furthermore, the parent/administrator can choose the auto-allowance funding option by selecting the "Allowance" portion of the page 1714 and selecting a funding schedule, either monthly 1716 or weekly 1718, a funding date 1720, and a scheduled amount 1722. Following input of the appropriate information, the parent/administrator submits the information to the surrogate 1 0 system. The requested funding amount is credited to the surrogate account upon receipt of an approval from the funding source.

When funding an account with a check or money order, the funder logs into the surrogate management web site and navigates to the Add Money section of the site. A funder can add money to their own account or the account 1 5 of another. The funder is prompted to specify the type of funding and the surrogate system provides a deposit slip that has been automatically filled out.

The funder prints the completed deposit slip and mails the deposit slip along with a check or money order to an address designated by the surrogate system.

Upon clearance of the check or money order, the amount of the check or money order is applied to the selected surrogate system account.

The surrogate system of an embodiment supports the provision of gift certificates or stored value numbers for use in funding surrogate system accounts. Someone wishing to purchase a gift certificate navigates to the surrogate management web site and to the Purchase Gift Certificate section of the site. The gift certificate can be purchased electronically using a credit card or by mailing a check or money order to the surrogate system providers. Upon confirmation and clearance of the credit card, check, or money order, a gift certificate is issued. Gift certificate issuance includes creating and storing a gift certificate in the surrogate system database. The gift certificate includes a sixteen character alpha-numeric string that is unique across the space of all gift certificates. The alpha-numeric string is completely unordered and therefore

1 9

unpredictable in its coding algorithm. The gift certificate is displayed on the purchaser's computer screen for printing. Furthermore, the gift certificate can be electronically mailed to a recipient's email address.

A user navigates to an area for gift certificate purchase beginning from the home page. Figure 18 is a home page 1800 of an embodiment from which a user selects the "gift certificate" icon 1802. Selection of the "gift certificate" icon results in presentation of a gift certificate options screen. Figure 19 is a gift certificate options page 1900 of an embodiment.

The gift certificate options page 1900 provides users with a number of choices including, but not limited to, redeeming gift certificates and buying gift certificates. The "member redeem" icon 1902 provides for redemption of gift certificates by users having surrogate system accounts. The "signup & redeem" icon 1904 allows a

user who does not have a surrogate system account to sign up for an account and then redeem a gift certificate. The "buy a gift certificate" 1 5 icon 1906 allows one to purchase a gift certificate for use within the surrogate system.

In response to selection of the "buy a gift certificate" icon 1906 a user is presented with a gift certificate purchase page 2000. Figures 20 and 21 show a gift certificate purchase page 2000 of an embodiment. The gift certificate purchase page 2000 prompts the user for information including, but not limited to, a payment method 2002, a recipient name 2004, a purchaser name 2006, a message to the recipient 2008, a gift certificate amount or value 201 0, a recipient email address 2012, and purchaser information 2014. The purchaser information requested includes the first and last name of the credit card holder 2016 if a credit card is used for the purchase, a credit card number 2018, a credit card expiration date 2020, a credit card billing address 2022, a purchaser email address 2024, and a purchaser telephone number 2026. After inputting the appropriate information for the gift certificate purchase the "Process" icon 2028 is selected and the transaction is completed by the surrogate system. In response to successful completion of a gift certificate purchase transaction, the 20

surrogate system emails the gift certificate to a selected recipient. In an alternate embodiment, the gift certificate can be mailed to the selected recipient.

Gift certificates are redeemed by users at the surrogate management web site. The user logs into the surrogate management web site and navigates to the Add Money section of the site. The user is prompted for the sixteen character alpha-numeric string, or gift certificate code, that identifies the gift certificate.

Upon input of the gift certificate code, the surrogate system verifies that: the gift certificate code is valid when compared against the code stored in the surrogate system database; and, the gift certificate has not already been redeemed. If the 1 0 gift certificate is valid and has not been redeemed, the surrogate system database is updated to reflect use of the gift certificate, and a corresponding amount of credit is applied to the user's surrogate system account.

Another type of funding available in the surrogate system is currency conversion funding. Currency Conversion Partners are companies that provide 1 5 online currency to their users. This online currency is earned or given to users and accrues in their accounts on the partner sites. A unique feature of an embodiment of the surrogate system allows the surrogate system to redeem many forms of online currency, aggregate these different forms of online currency, and spend the aggregated online currency at any online merchant without money ever being issued directly to the user.

Figure 22 is a flow chart for a currency conversion and aggregation process of an embodiment. Operation begins with users entering the surrogate system web site using a browser on client computers 2202. The users provide account information for their active currency conversion partner accounts 2204.

The surrogate system acquires account balances from the currency conversion partners 2206. A specified amount of money or credit is transferred from the currency conversion partners as specified by the users 2208. Upon validation of the transfer, the funds are credited or applied to a selected account 2210.

When converting online currency for use in funding a surrogate system account, the user logs into the surrogate management site and navigates to the Account Summary section of the site. The Account Summary section presents

21

the user with their account balance in the surrogate system. Furthermore, users are presented with a balance on all other Currency Conversion Partner sites in response to the users providing electronic addresses for the Currency Conversion Partner sites on which they have accounts. This is done by storing the user account information for each partner site in the surrogate system database. When the Account Summary page is presented, each Currency Conversion Partner site is accessed in real-time by the surrogate system to query the amount of currency the person has at that partner site. The amounts are totaled to present users with their "online net worth."

10 At this point, funds can be transferred from the user's Currency Conversion Partner account to the user surrogate system account. The users begin the transfer by specifying information including, but not limited to, the Currency Conversion Partner account from which they wish to transfer money, and the amount of money to transfer. The surrogate system queries the 15 Currency Conversion Partner site over a predetermined set of secure protocols to confirm that the users have the funds at the partner site. If the funds are available and the account is in good standing at the Currency Conversion Partner site, the surrogate system issues a request to the Currency Conversion Partner site to transfer the specified amount of money from the users' corresponding Currency Conversion Partner account into the user surrogate system account. In response to the surrogate system request, information is returned including a transaction identifier used for reconciliation. The user surrogate system account is credited with the transfer amount while the corresponding account at the Currency Conversion Partner site is debited the same amount.

At a predetermined periodic time interval, for example every 15 days, each Currency Conversion Partner site wires the money that has been transacted during those past 15 days along with a datafile. The datafile contains all the transaction identifiers for which funds are included for transfer. The surrogate system database receives the datafile and reconciles the partner redemption transactions using the transaction identifiers and the amount of the wire transfer.

22

All discrepancies are brought to the attention of the surrogate financial administrator.

Redemption from a Currency Conversion Partner site can also be initiated from the Currency Conversion Partner web site rather than from the surrogate system web site. In this case, the Currency Conversion Partner web site will redirect the user to the surrogate system web site, allowing the user to first log into the surrogate system. From this point the transaction occurs as described herein. When the redemption is complete, the user is redirected back to the Currency Conversion Partner web site or, optionally, allowed to I 0 immediately spend the newly transferred money at the surrogate system web site.

Yet another way in which a surrogate system account is funded is with incentive code conversion funding. Both online and offline companies and retail merchants can use the surrogate system to support online shopping by 5 performing incentive code conversion. For example, a soft drink company may place incentive codes under bottle caps, or a food provision company or service may place incentive codes on food labels or food service devices like sticks, containers, and trays. These incentive codes have an equivalent cash value in credit when used in purchase transactions through the surrogate system. In an embodiment, the incentive codes convert into values between 20 cents and one dollar, but are not so limited. The incentive codes are input into the surrogate system web site by the user, much like a gift certificate code. The incentive codes are converted into some equivalent amount of credit that is applied to the user's surrogate system account, credit that can then be spent at online merchants using the surrogate shopping servers.

The incentive code includes a sixteen character alpha-numeric string that is unique across the space of all incentive codes, wherein the alpha-numeric string is completely unordered and therefore unpredictable in its coding algorithm. An alternate embodiment uses a thirteen character alpha-numeric string, but is not so limited. The surrogate system database includes all incentive codes for which credit may be provided. The unique incentive codes

23  
are provided with particular consumer products. Upon purchasing a product containing an incentive code, the user can proceed with redeeming the code for shopping credit.

Incentive codes are redeemed by users at the surrogate management web site. The user logs into the surrogate management web site and navigates to the Redemption section of the site. The user is prompted for the thirteen or sixteen character alpha-numeric string, or incentive code. Upon input of the incentive code, the surrogate system verifies that: the incentive code is valid when compared against the code stored in the surrogate system database; and, the I 0 incentive code has not already been redeemed. If the incentive code is valid and has not been redeemed, the surrogate system can credit a preassigned value associated with the particular incentive code. Alternatively, the surrogate system can use a random number generator to create a random value for the particular incentive code. In either case, the surrogate system database is I 5 updated to reflect use of the particular incentive code, and an amount of credit corresponding to the value assigned by the surrogate system is applied to the user's surrogate system account. At regular periodic time intervals, the

surrogate system financial administrator will invoice the company sponsoring the incentive code program to cover the costs of the incentive codes that have been redeemed and/or spent.

Users can also earn monies for account funding by earning credit at the surrogate management web site and at an online merchant web site. A user can log into the surrogate system and earn money for credit to their surrogate system account by performing actions while logged in. These actions include, but are not limited to: entering or engaging in contests offered at the surrogate system web site; entering or engaging in contests offered at an online merchant web site; responding to surveys provided on the surrogate system web site or an online merchant web site; visiting advertiser web sites or other web sites as directed; participating in special online promotions where money or coupons are given away to users; and, referring new users to the surrogate system web site.

In all cases, the surrogate system credits the user's surrogate system account as  
24

the user satisfies the conditions for receiving the incentive credit. Therefore, the credit is immediately placed in the user's surrogate system account and made available for spending. Pages showing the amounts earned and credited can be inserted into the data stream to the client computer to be presented as stand alone pages, overlay pages, or pop-ups on a displayed page.

Funding of surrogate system accounts can also be accomplished using cash provided to or through ATMs. The surrogate system of an embodiment can be integrated with other electronic finance technologies, for example electronic finance devices that accept or dispense cash including, but not limited to, automatic teller machines, Internet-connected kiosks, and point-of-sale devices. In operation, a user locates, for example, an ATM enabled for operation with the surrogate system. The user inputs their particular surrogate system logon information, and selects an option that allows for the deposit of funds into a selected surrogate system account. The system logon information 5 can be manually entered by the user with a keypad or touch screen, or automatically loaded from a smart card or magnetic card provided by the user, or a combination of card and keypad or touch screen, but is not so limited.

Following authentication of the user and their surrogate system account, the ATM accepts a cash deposit from the user as is known in the art, and the cash is scanned and verified for authenticity. The ATM communicates the amount deposited to a central network. The ATM central network uses a secure communication protocol to inform the surrogate system that the user is to be credited the amount of money deposited into the machine. The secure communication protocol of an embodiment includes a unique transaction identifier used for reconciliation. The surrogate system credits the user's account in response to the transmission from the ATM central network.

Furthermore, the surrogate system updates the surrogate database with the transaction from the ATM vendor.

In an alternate embodiment, the capability is provided to transfer money from an account into a selected surrogate system account using an electronic finance device. In operation, a user locates, for example, an ATM enabled for

25

operation with the surrogate system. The user inputs their surrogate system logon information, and selects an option that allows for the deposit of funds into a selected surrogate system account. The ATM accepts transfer instructions from the user including, but not limited to, the account to transfer from and the amount to transfer. The ATM communicates the transfer amount to a central network. The ATM central network uses a secure communication protocol to inform the surrogate system that the user is to be credited the amount of money transferred. The secure communication protocol of an embodiment includes a unique transaction identifier used for reconciliation. The surrogate system I/O credits the user's account in response to the transmission from the ATM central network. Furthermore, the surrogate system updates the surrogate database with the transaction from the ATM vendor.

At a predetermined periodic time interval, such as every 7 days, the ATM vendor wires the money corresponding to the transactions, both deposits and transfers, of the previous 7 days along with a datafile containing the transaction identifiers corresponding to the transactions for which payment is provided. The surrogate system database receives the datafile and reconciles the ATM transactions using the transaction identifiers and the amount of the wire transfer. Any discrepancies are brought to the attention of the surrogate financial administrator.

In an alternate embodiment, a user can withdraw cash from their surrogate system account using an ATM, Internet-connected kiosks, and point-of-sale devices. This cash withdrawal can be made in response to entry by the user of surrogate system logon information. Alternately, the cash withdrawal can be made in response to information received from a credit or debit card assigned to the user on their account by the surrogate system.

The surrogate system of an embodiment further supports funding using offline stored value cards. An offline stored value card is a card that can be purchased at an offline retailer, for example a department store or a convenience store. The card includes a number printed on the card. At the time of purchase, the purchaser gives the card to a cashier, who then receives payment from the

26

purchaser for the card. The cashier swipes the card through a terminal which is hooked up to the stored value card backend network or system. The stored value card backend network recognizes the individual card and, using an associated database, enables the card to be used. The card now has a stored value equal to the amount paid by the purchaser.



To use the card, the purchaser, or user, logs into their surrogate system account and navigates to the section to redeem offline stored value cards. The surrogate system provides a template or otherwise prompts the user to enter the unique number printed on the card. In response to entry of the unique number, 10 the surrogate system database queries the stored value card backend network or system over a secure communication protocol to confirm that the number is valid and the number has not previously been used. If the stored value card backend network replies that the number is valid, the backend network marks the card as used in its database. The response to the surrogate database includes 15 the value of the card and a transaction identifier for reconciliation purposes, but is not so limited. Upon confirmation, the amount stored on the card is credited to the user's surrogate system account and the surrogate database is updated to reflect the redemption of this particular card number, storing the transaction identifier.

At a predetermined periodic time interval, such as every 7 days, the stored value card vendor wires the money corresponding to the transactions of the previous 7 days along with a datafile containing the transaction identifiers corresponding to the transactions for which payment is provided. The surrogate system database receives the datafile and reconciles the stored value card vendor transactions using the transaction identifiers and the amount of the wire transfer. Any discrepancies are brought to the attention of the surrogate financial administrator.

Fraud checking and detection is an important function performed by the surrogate system of an embodiment. The surrogate system checks for two types of fraud, including individuals activating multiple accounts in order to take

27

advantage of promotional account funding opportunities, and the use of stolen credit cards to fund an account, but is not so limited.

Individuals activating multiple accounts is problematic because many promotions, coupons, or other offerings within the surrogate system have actual value. As most of these offerings are limited to one per customer, individuals may attempt to create multiple accounts for themselves in the hopes of capitalizing on an offer multiple times.

Use of stolen credit cards is always problematic, and by its nature the surrogate system provides the ability to aggregate numerous stolen cards into a common surrogate system account. Undetected, this allows someone with a few stolen cards to misappropriate the value of the stolen cards at a single place by funding a surrogate account with a large amount of money, and then shop at numerous merchants using legitimate surrogate cards. Protection should be provided against this type of fraud.

15 Fraud checking is performed in an embodiment of the surrogate system using a fraud scoring system. The fraud scoring system scores data items including, but not limited to: email addresses; shipping addresses; and, credit card

numbers and expiration dates. Each of these data items detected by the system are stored in the surrogate system database with links to the associated user or users. Furthermore, each user surrogate account is assigned a score, based on the accumulated scores of the items of information associated with the user's surrogate account.

The fraud checking function stores email addresses and credit card information exactly as specified. The particular information is then scored by normalizing the information into a common format. Therefore, shipping addresses are scored by normalizing the address line and zip code into a common format. For example, " 123 Main Street Suite B ... 95111-1234" and " 123 Main St. # B ... 951 1 1 " will both be transformed to the common address "123MainStB951 1 1".

In operation, the fraud detection system is operating on all user-specific information entered during any session on the surrogate system management  
28

web site and/or the surrogate shopping servers. The user-specific information includes, for example, email addresses, shipping addresses, and credit card numbers. The surrogate system of an embodiment reviews the information inputted by the user, including information provided during the shopping checkout process where the user may manually try to override a new shipping address.

When an item of information is inputted by a user, the surrogate database is called with that item, the identity of the user that is providing it, and any other relevant information such as the amount of the purchase transaction.

I 0 The surrogate database fraud detection system determines if this information is already stored in the database, and adds it to the scoring tables if it is not in the database. In addition, information relating to the event associated with the information is added, specifying the date/time, user, item, and amount. A set of rules are then evaluated to determine if a fraud situation has occurred. If so, the 1 5 database will invoke the appropriate routines including flagging the appropriate item as FRAUD, sending email to the fraud administrator and disabling the account, or other configurable operations.

Within the surrogate system fraud detection system, items of information used by a single user are linked together. When a particular item is marked as FRAUD (for example, a credit card is deemed to be stolen), then all users that have used that credit card are marked FRAUD. Furthermore, all credit cards, shipping addresses, and email addresses used by users marked FRAUD are marked FRAUD. Thus, once an item or user is ruled to be FRAUD, all items linked to that item or user are also flagged as FRAUD on the assumption that these are all the same user attempting to bypass fraud checking.

Legitimate surrogate system users can work with customer support personnel if their account is incorrectly flagged as FRAUD.

The fraud levels used to define fraudulent situations in an embodiment include, but are not limited to: SCORE-INCREASE, fraud scores are initialized at zero, and are increased for an item/user by N, wherein if the fraud score of an item increases the fraud score of any associated user linked to that item also

29

increases by an equivalent or proportional amount; WARNING, an email is sent to the surrogate system customer service to place a watch on the item or user; TEMPORARY-FRAUD, an email is sent to the surrogate system customer service to place a watch on the item or user and disable the associated account until the surrogate customer service has a chance to review the situation and make a determination, and a notification email is sent to the user; and, FRAUD, an item or user is determined to be fraudulent resulting in the associated account being disabled along with all related or linked items and accounts, and a notification email is sent to the user.

I 0 The fraud rules used to define fraudulent situations in an embodiment include, but are not limited to: WARNING, a same user deposits "large" sums of money into an account twice within 30 minutes; TEMPORARY-FRAUD, a same user deposits "large" sums of money into an account three times within 30 minutes; FRAUD, a user deposits "large" sums of money into an account a certain number of times using N number of credit cards; TEMPORARY FRAUD, a same user account has used more than four shipping addresses within the last two months; WARNING, a user changes their email address three times within the previous 15 days; SCORE-INCREASE, if \$500.00 is deposited into an account, increase the fraud score by 10; SCORE-INCREASE, if more than three shipping addresses are used by a user, increase the fraud score by 5; SCORE-INCREASE, if a user changes their email address, increase their fraud score by 5; WARNING, an item/user reaches a fraud score of 20; TEMPORARY-FRAUD, an item/user reaches a fraud score of 35; and, FRAUD, an item/user reaches a fraud score of 50.

Figure 23 is a flow chart for surrogate control of a shopping process of an embodiment. Operation begins with a user entering the surrogate system web site using a browser on the client computer 2302. The user shops through the surrogate system by accessing a merchant online system through the surrogate system. The user selects items for purchase from the merchant system 2304. A surrogate system credit card is selected for the purchase transaction 2306. The amount due to complete the purchase transaction is determined by

30

the surrogate system 2308. Funds are loaded from the user's account to the surrogate system credit card 2310. The purchase transaction is executed using the surrogate system credit card 2312.

The surrogate system of an embodiment supports online and offline shopping, but is not so limited. When shopping online, a user can navigate to an area for shopping from numerous areas of the surrogate system web site by selecting a "shopping" icon from the surrogate system template. Selection of the "shopping" icon results in

presentation of shopping screens. Figures 24-27 are example shopping pages 2400-2700 of an embodiment including numerous types of merchant links. The shopping pages of an embodiment present the user with merchant logo icons 2402, lists of merchant names arranged alphabetically 2702, merchant special offer and incentive icons 2404, merchandise advertisement icons 2406, ordered lists of merchandise 2502, and prespecified merchandise grouping icons 2408. The displayed icons, names, coupons, offers, ads, and list items are enabled so that selection of an icon, list name, coupon, offer, ad, or list item will take the user to the corresponding merchant online shopping site or web pages through the surrogate system, but the embodiment is not so limited.

With reference to Figure 24, selection of the "Girl Stuff" icon 2410, a prespecified merchandise grouping icon, results in presentation of a typespecific shopping page 2500. Figure 25 is a type-specific shopping page 2500 of an embodiment. This shopping page 2500 presents icons 2504 for merchants and merchandise that might be of particular interest to female shoppers.

Furthermore, the rank-ordered list 2502 presented on a type-specific shopping page 2500 can include a rank-ordered type-specific list of a type corresponding to the page type.

Figure 26 is another type-specific shopping page 2600 of an embodiment. This shopping page 2600 is presented in response to selection of the "Guy Stuff" icon 2412 on a shopping page 2400, and presents icons 2602 for merchants and merchandises that might be of particular interest to male shoppers.

31

Selection of the "See 'em All" icon 2414 on a shopping page 2400 results in the presentation of a shopping page 2700 containing a list of all online merchants available through the surrogate system. The merchants of the list can be arranged alphabetically. Figure 27 is a shopping page 2700 of an embodiment including a list 2702 of all online merchants available through the surrogate system. The shopping page 2700 including the list 2702 can include electronic links 2704 to merchant shopping sites.

The ordered lists of merchandise 2502 include at least one rank-ordered list of merchandise compiled from sources including records of merchandise I O sales in the surrogate system database. These lists may be compiled for prespecified intervals of time, but are not so limited. The ordered lists of merchandise can also include rank-ordered lists of merchandise compiled from periodic or regular user surveys or feedback. Furthermore, the ordered lists of merchandise can be generated from online merchant records.

15 The shopping screens 2400-2700 can also include electronic links for shopping, account finding, account summary, personal information, help, and log off in a navigation bar 2499. Furthermore, the shopping screens can include a display 2416 of the

users user name and account balance, but is not so limited.

Figures 28-44 illustrate a shopping session using the surrogate system of an embodiment. Figure 28 is a page 2800 of an embodiment including an alphabetical list 2802 of online merchants. The merchant names are enabled so that selection of a name takes the user to the corresponding merchant online shopping site or web pages. In this example, the user is selecting the 99 shop.eonline.com" icon 2804. The merchant list page 2800 displays information including the surrogate navigation bar 2806 comprising the user's use name and current surrogate system account balance 2808. The merchant list page 2800 also includes an electronic link to coupons 2810.

In response to selection of the "shop.eonline.com" icon 2804 the user is taken to the shop.eonline.com web site. Figure 29 is a web page 2900 of a selected merchant site as presented through the surrogate system of an embodiment. The merchant web page 2900 is presented to users the same as it 32 would be if they went directly to the merchant web site without using the surrogate system, except that the merchant web page 2900 is displayed along with a surrogate system navigation bar 2902, but the embodiment is not so limited. The surrogate system navigation bar provides the user with access to surrogate system functionality while navigating through and shopping from the merchant web site. This functionality includes access to other merchants, account funding, account summary information, personal information, help, log out, and a display of the users user name and account balance. Using the functions of the merchant web page the user selects and navigates to particular I O areas of a merchant site or merchandise 2904 in which they are interested, for example Austin Powers.

In response to selection of Austin Powers merchandise 2904, the user is taken to at least one web page 3000 of the merchant web site containing Austin Powers merchandise. Figure 30 is a web page 3000 containing merchandise of 1 5 a selected merchant site as presented through the surrogate system of an embodiment. To initiate a purchase transaction the user selects a purchase icon provided by the online merchant, for example the "add to bag" icon 3002.

In this example, selection of the "add to bag" icon 3002 results in presentation of a typical web page 3 1 00 including a list of the items selected for purchase from the online merchant thus far in the user's shopping session.

Figure 31 is a shopping list web page 3 1 00 of a selected merchant site as presented through the surrogate system of an embodiment. The typical shopping list page 3 1 00 provides users with icons that allow them to either finalize their purchase transaction or return to shopping pages and continue shopping. In this example the user elects to continue shopping and navigates to another merchant web or shopping page 3200.

Figure 32 is a web page 3200 containing merchandise of a selected merchant site as presented through the surrogate system of an embodiment.

Again, the user initiates a purchase transaction by selecting the purchase icon provided by the online merchant, the "add to bag" icon 3202, and a shopping list page 3300 is presented that now includes the two items selected by the user

33

for purchase thus far in the user's shopping session. Figure 33 is an updated shopping list web page 3300 of a selected merchant site as presented through the surrogate system of an embodiment. The user elects to cease shopping and complete the purchase transaction by selecting the "check out" icon 3302. A number of check out web pages 3400-3700 are presented to the user in response to selection of the "check out" icon 3302.

Figures 34-37 show the check out web pages 3400-3700 of a selected merchant site as presented through the surrogate system of an embodiment. The check out web pages 3400-3700 presented to the user are the same check out web pages the user would be presented with if they went directly to the merchant web site without using the surrogate system, except that the check out web pages 3400-3700 are displayed along with information including a surrogate system navigation bar 3402 and a Purchase Wizard 3404 or Pay Wizard. The surrogate system navigation bar 3402 provides the user with 15 access to surrogate system functionality while completing a purchase transaction on the merchant web site.

The Purchase Wizard 3404 is presented by the surrogate system on a portion of the check out pages 3400-3700, thereby allowing the user to complete the purchase transaction using funds from their surrogate system account. The Purchase Wizard 3404 can be presented along with any of the check out pages of the online merchant site, and can be presented on any portion of a page. When prompted, the user can sign in to the surrogate system, if they have not previously done so during the shopping episode, by selecting the "continue" icon of the Purchase Wizard 3404. In addition to activation of the Purchase Wizard 3404, the surrogate system form fill engine automatically fills in the required fields 3406, 3502, and 3702-3710 of the check out web pages 3400

In an embodiment, the surrogate credit card information 3702-3710 entered on the check out web pages is not displayed to the user as the credit card belongs to the surrogate system, even though this information is sent to the

34

merchant. Therefore, the credit card information is secured by not allowing the user to view the information.

If a user has coupons that are determined to be applicable to the particular online merchant and the particular items selected for purchase then the surrogate system can so advise the user by inserting a coupon page 3800.

Figure 38 is a coupon page 3800 of a surrogate system of an embodiment. The coupon page 3800 inserted can be displayed as a separate page, a page overlay, or a pop-up page. The coupon page 3800 provides the user with a number of options including, but not limited to, using the coupons or not using the coupons 0 for the current purchase. Following selection of an option the user selects a submit" icon 3802 to submit their selection to the surrogate system.

Figures 39 and 40 are a check out confirmation page 3900 of a selected merchant site as presented through the surrogate system of an embodiment. The check out confirmation page 3900 includes items, quantities, and totals 3902 of 5 the current order along with shipping information 3904 provided for verification by the user, but are not so limited. The Purchase Wizard 3904 provides a "continue" icon, the selection of which results in submission of the order to the online merchant through the surrogate system once the user has verified the information.

Upon successful submission of the order, a congratulations page 4100 is presented by the surrogate system. Figure 41 is a congratulations page 4100 presented by the surrogate system of an embodiment. Following successful completion of the order the user can return to areas in the surrogate system from which shopping can continue by selecting the "go shopping" icon 4102 from the congratulations page 4100. At least one shopping page is presented in response to selection of the "go shopping" icon 4102.

Figure 42 is a shopping page 4200 displayed by a surrogate system of an embodiment. The user's surrogate system account balance 4202 displayed on the shopping page is updated reflecting the user's purchase. Selection of the "account summary" icon 4204 results in the presentation of an account summary page 4300 by the surrogate system.

35

Figure 43 is an account summary page 4300 displayed by a surrogate system of an embodiment. The account summary page 4300 displays information including account activity information 4302 and coupon information 4304. The account activity information 4302 is selectable by month and includes information on deposits and purchases. The coupon information 4304 includes a list of coupons available for use by the user, including the redeeming merchant and the coupon value. The coupon information also includes an icon 4306 associated with each coupon that, when selected, allows the user to obtain detailed information on the associated coupon.

The account activity information 4302 also includes an icon 4308 associated with each purchase action that, when selected, allows the user to obtain detailed information on the associated purchase. Selection of the "DETAIL" icon 4308 results in the presentation of an account information page 4400.

Figure 44 is an account information page 4400 displayed by a surrogate

system of an embodiment. The account information page 4400 includes, for each purchase, detailed information 4402 including the date of action, the type of action, the online merchant, the merchandise purchased along with the purchase price, credits or coupons used to offset the purchase price, tax assessed on the purchase, shipping charges, and total charges for the purchase, but is not so limited.

Figure 45 is a flowchart for purchasing goods and services through a surrogate system of an embodiment. Operation begins when, after selecting merchandise or services for purchase according to the processes provided on the online merchant web site, the user activates the "check out" button on the merchant web site or the surrogate system 4502. In response to activation of the check out sequence by the user, the surrogate server creates two buffer areas 4504. One buffer area is for delivery to the spender, and another buffer area is for delivery to the merchant. The surrogate server then reads the merchant pay pages 4506, or check out pages, and searches the pay pages for rule matches

36

using rule structures 4508. When a rule match is located, the rule is executed in the appropriate buffer area (e.g., protect a spender field by displaying " \* \* \* " to the spender in the protected field) 4510. Upon rule execution, the surrogate server verifies that the amount of the selected purchase is less than or equal to the user's available account balance 4512.

After determining that the user's account balance is sufficient to make the purchase, the surrogate system searches a database containing surrogate credit cards and the associated account information 4514. When the user has been assigned a credit card or account, the surrogate system uses this credit card ID to fund the user's purchase. When the user has not been assigned a credit card, the surrogate system searches for a surrogate credit card having sufficient available credit to fund the user's selected purchase. The database information associated with the selected surrogate credit card is supplied to automatically fill in the appropriate fields in the merchant buffer 4516. The database information associated with the card comprises credit card number, card type, card expiration date, surrogate billing address, and surrogate email address, but is not so limited. The obscured form filling using the split buffer allows the surrogate credit card information to be obscured from the user, thereby maintaining the confidentiality of this information. The merchant buffer is delivered to the online merchant upon completion.

The **private credit card** information detected in data returning to the surrogate system is intercepted. Upon being intercepted, the credit card information is substituted with generic text, for example " \* \* \* ", and the generic text is displayed in the buffer area that is delivered to the user 4518.

Furthermore, a surrogate email address comprising a substitute obscured email name and password is generated and provided to the merchant server 4520.



This substitute email name and password ensures proprietary access to merchant order information.

The surrogate system server waits for and responds to any merchant electronic replies received in response to the purchase 4522 These merchant replies include confirmation of order, out of stock notices, backorder 37

information, shipping information, and anticipated delivery, but are not so limited. As the surrogate system is purchasing for the user using the surrogate's credit card, the surrogate has a need for some of the reply information from the merchant. However, the user, as the recipient of the merchandise, also needs pertinent reply information. Therefore, the surrogate provides a way to filter the merchant reply email and pass it on to the user.

In filtering the email, the surrogate system provides a surrogate dummy email address to the merchant during the automatic form filling of the merchant buffer. The surrogate dummy email address is linked, through the surrogate I O server, to the user's actual email address. As merchant replies are received in response to a particular order, the surrogate server filters the email for transactional information needed by the surrogate and then passes the email on to the user at their actual email address.

All information associated with purchases made using the surrogate 1 5 server is stored by the surrogate system 4526. The surrogate system tracks purchase demographics and may provide these demographics to guardians, users, and merchants. Furthermore, the surrogate server may allow guardians, users, and merchants to filter and sort the demographic data. The demographic data comprises merchandise type, size, color, vendor, quantity, amount, merchant, date, time, spender account number, funder account number, and shipping address, but is not so limited.

The surrogate system of an embodiment provides account management information organized according to the funders, the spenders, and the surrogate.

The account information organized according to the funder includes a funding transaction history and a transaction history for each spender funded. The account information organized according to the spender includes a transaction history organized by vendor, date, and category. The account information organized according to the surrogate includes surrogate credit card reconciliation reports and transaction history organized by funder, spender, surrogate credit cards, vendors, category, and demographics.

3 8

With reference to Figure 2, a client accesses the system using typical web programs, including a web browser and email program. The user accesses the surrogate system web site using the web browser on a client computer and logs in, which allows the user to perform the following types of operations.

manage account information including name, address, email address, and password; add money to the user's account or a different account; purchase gift certificates; restrict shopping including time of day/week or specific merchant restrictions; review shopping activity of user managed accounts; and, begin the shopping process.

10 The surrogate system web site maintains information about each registered user, or customer, in the surrogate system database. In addition to this, each shopper is assigned a unique credit system number or account number that can include credit card numbers. The credit card numbers correspond to credit cards of a credit card pool, wherein the pool can include Visa, 15 Mastercard, American Express, and Discover credit cards. The database obtains the credit card numbers by directly communicating with the surrogate system bank.

Furthermore, the surrogate system database is coupled to the surrogate fraud detection system, thereby allowing the surrogate system to determine if a user or inputted data is, or potentially can be, fraudulent. If so, then the fraudulent user or data can be disabled, warnings sent to administrators, or other actions taken.

The surrogate system bank maintains financial information about the surrogate credit card pool, including available credit card numbers, credit card numbers assigned to particular users, enablement status of credit cards, the billing name/addresses, and the balances available on each card. The surrogate system bank can be a financial institution or credit issuing authority that is accessed over separate secure connections. Furthermore, the surrogate system bank can include financial institutions or credit issuing authorities accessible via the Internet or other credit system network. Moreover, the surrogate system

39

bank can include a combination of financial institutions accessed over separate secure connections and members of the credit system or network.

A typical proxy server operates as a non-transparent proxy where the client browser knows it is using a proxy. The proxy servers of the surrogate system of an embodiment, however, operate as transparent proxy servers wherein the client browser does not know that the surrogate proxy servers are intercepting the electronic traffic between the client browser and the merchant.

The proxy servers include the surrogate shopping servers and the surrogate email proxy server. The surrogate system proxy servers communicate with the client browser and the merchant server in providing merchant pages back to the client browser. The surrogate proxy servers cache the merchant pages, wherein the client browser explicitly returns to the surrogate system proxy servers which specify the merchant page or pages to hit, thereby increasing the speed of subsequent page hits.

15 The surrogate shopping proxy server of an embodiment is a transparent conduit between the shopper and the supported merchants, or online merchant partners. When a

user wishes to shop at a merchant, the user is redirected to the surrogate shopping proxy server instead, which proxies all the information from the merchant shopping site in real time. The surrogate shopping proxy servers ensure that: the current user is a valid user; user interaction with the merchant site always returns control back to the surrogate shopping proxy servers; HTTP cookies are processed and proxied; merchant forms are automatically filled out; and, selected information such as credit card numbers are not displayed to the client. The surrogate shopping proxy servers are completely stateless, allowing more servers to be added or deleted without affecting the operation of any current ongoing client sessions, but are not so limited.

The surrogate shopping proxy servers also maintain the operational information of the surrogate system database, including: user information like user name, physical address, email address, password, telephone number, and account balance; credit card information for a surrogate system credit card assigned to the user; merchant forms or web pages that are to be processed by

40

the shopping servers, and instructions on how processing is to be executed; and, coupons available to the user.

A surrogate shopping proxy server of an embodiment remains completely stateless, but is not so limited. As such, transactions are autonomous, thereby allowing any number of proxy servers to be implemented for a load balanced system, independent of which server is accessed. This allows the surrogate system to scale horizontally by simply adding more proxy servers to the load balanced system.

While shopping using the surrogate system, the user's web browser hits I 0 a page on the surrogate shopping proxy server, which in turn retrieves the page from the merchant web server. To ensure that the surrogate shopping proxy server always has control, it often modifies the page so that no matter what the customer clicks on, it always returns to the surrogate shopping proxy server.

Figure 46 is a flow chart for modifying a web page in an embodiment.

1 5 In considering modification of a page from a merchant web server, it is noted that each Uniform Resource Locator (URL) to a merchant looks the same except for the domain name. The domain name has appended to it the domain name of the surrogate shopping proxy server. For example, if the final URL being accessed is "http:Hwww.delias.com/shopping/product/item.html," it is rewritten to look like "http:Hwww.delias.com.proxy.surrogate.com/shopping/product/item.html." Therefore, the domain name proxy.surrogate.com is the domain name of the surrogate shopping proxy server. Consequently, the surrogate system owns the Domain Name System (DNS) domain proxy.surrogate.com and every subdomain under it. As such, \*.proxy.surrogate.com will return to the surrogate proxy server.

Using this scheme, the HTML pages being retrieved by the surrogate system 4602 do not have to be modified for types of links that include, but are not limited to, relative references (i.e. subdir/page.html), and absolute relative to the root (i.e. /full/path/subdir/page.html). Therefore, the fully-qualified links

41  
that include the host name, such as "http://hostname/full/path/subdir/page.html" are searched for and processed 4604.

Consequently, the surrogate system finds the host name (hostname) and concatenates the surrogate domain to it (hostname.proxy.surrogate.com) 4606.

When the user browser accesses this final domain, it will return to the surrogate shopping proxy server and, based on the domain name being accessed, the surrogate shopping proxy server knows immediately what the target domain should be by stripping off the surrogate shopping proxy server's own domain name from the host name.

The processing of transmissions from the client web browser to the surrogate shopping proxy server includes a number of rules, but is not so limited. The surrogate shopping proxy domain is removed from the complete remote host name, and the new hostname name is used as the target of the proxy operation. The surrogate shopping proxy domain is removed from the "Referer" 5 header, where some sites use the "Referer" header for navigation. The request is then sent on to the merchant web site.

Figure 47 is a flow chart for processing transmissions from a surrogate system of an embodiment to a client browser. The processing of transmissions from the surrogate shopping proxy server to the client web browser also includes a number of rules, but is not so limited. Operation begins by retrieving a response from the merchant web site 4702 and determining a header type 4704. If there is a "Location" header, the surrogate proxy domain is appended to the hostname as this is a form of redirection. If there is a "Content-Location" header, the proxy domain is appended to the hostname as this is a form of redirection. For any "Set-cookie" headers, the proxy domain is appended to the "domain" portion of the cookie if it exists. This ensures that the cookies are placed in the correct proxied domain.

Furthermore, the retrieved document is scanned for fully qualified URLs ("http://hostname/url" or "http://hostname/url") 4706. The URLs can be within an HTML tag or within a javascript region 4708. If the URL is not within an HTML tag or within a javascript region, it is user visible and is not changed.

42  
Particular processing is executed, as follows, based on whether the URL is determined to be within an HTML tag or javascript region 4710.

Four alternative actions are available when the URL is within an HTML

tag, but the embodiment is not so limited. As a first alternative, if the URL ends with an extension indicating that the content is binary data (i.e., gif, jpg,...) then the hostname is not modified as the content does not need to be examined or modified. As a second alternative, if the URL appears to be embedded in another URL (i.e. an argument to another URL), don't modify the URL. As a third alternative, if the URL is not binary content, append the proxy domain to 1 0 the hostname portion of the URL. As a fourth alternative, if the URL is part of a " " tag, modify the URL as this is a form of redirection.

When the URL is within a javascript region, the code is located that can force a page reload (i.e., ".location.replace(URL)", "Jocation = URL", ".location.href = URU) and the code is changed to call a function instead (i.e., 1 5 ".location.replace(rcFunc(URL))", "Jocation = -rcFunc(URL)"). Code is next added to the header of the page for rcFunc(. This function will check the incoming URL and, if fully qualified, append the proxy domain to the hostname.

While an embodiment of the surrogate system proxy server rewrites URLs so that they are transformed to a URL of a particular form, there can be many sites to which the proxy server does not want to proxy. For example, if a particular merchant web site has an advertiser link to another merchant web site, the link would be converted, but it may not be desirable to follow this link and proxy it because online shopping may not be supported or desired on this other site. Consequently, the proxy server of an embodiment uses an ErrorDocument handler that handles URLs not supported by the surrogate by not assigning a RewriteRule to those URLs 4712. This is done using a Common Gateway Interface (CGI) script that politely informs the spender that clicking on this link will take them "out of range" of the surrogate. For example, this might be in httpd.conf as "ErrorDocument 404 /cgi-bin/outofrange.pl." 43

When proxying HTTP cookies 4714 in the surrogate shopping proxy server of an embodiment, the "domain" section of the cookie contains the surrogate proxy server domain appended to the end of the domain specified by the merchant web server, but is not so limited. For example, if the cookie header returned by the merchant web server is of the form "Set-Cookie.

foo=bar; path=/; domain=.delias.com expires Mon, 09-Dec-2002 13:46:00 GMT." the surrogate shopping proxy server modifies the header to the form "Set-Cookie: foo=bar; path=/; domain=.delias.com.proxy.surrogate.com expires Mon, 09-Dec-2002 13:46:00 GMT." This ensures that the surrogate shopping proxy server retrieves the correct set of cookies from the browser. Also, these cookies can be passed on unmodified to the merchant web server.

An alternate proxy embodiment uses a single proxy server DNS name

but, instead, modifies the path of the URL to include the remote server name.

For example, a URL such as "http://www.amazon.com/dir/file.html" is modified to "http://proxy.surrogate.com/www.amazon.com/dir/file.html". In this case, when the proxy server receives the request, the remote server name can be stripped from the front of the path. A particularly powerful variation of this technique is to reverse the remote hostname and convert the s to . Using this technique, the URL "http://www.amazon.com/dir/file.html" is written as "http://proxy.surrogate.com/moc/nozama/www/dir/file.html". Since the remote server name appears as multiple path segments, a hostname termination segment of "I" is also inserted to simplify the process of extracting the hostriame. The resulting URL is written as "http://proxy.surrogate.com/moc/nozama/www/I/dir/file.html".

This technique provides an effective way to manage cookies that are passed between the browser and the remote server. When cookies are passed from the server to the browser, they contain an optional domain and path specification. The browser uses these values to determine whether or not to send the cookies back to the remote server on subsequent requests. Since the remote servers are proxied by a single domain (i.e. proxy.surrogate.com), the domain information in the cookie cannot be used. However, since the domain

44

information for the remote server is specified as the initial segments of the URL path, the browser can emulate the domain functionality by writing the domain information into the path specifier for the cookie. For example, if the domain specifier for a cookie is ".amazon.com", the equivalent path specifier would be the reversed version (again, replacing ..... s with "P"s) which would be "/moc/nozamaP. The domain specifier for the cookie can then be removed.

Since the path specifier for the cookie now contains the original domain information, the original path information is prepended to the cookie value and terminated with a "" separator. For example, if the cookie value is "data" and I O the path is "Viniages", the new cookie value would be "/images'data".

Using this technique, the browser sends cookies that are appropriate for the current remote domain, but this may include cookies that would otherwise not have been sent if the original path did not match the URL path. As cookies are sent from the browser back to the remote server, the proxy removes the I 5 original path information from the cookie value and compares that path with the path of the current URL. If the path from the cookie matches the initial path of the current URL, the cookie is forwarded to the remote server, otherwise it is removed from the HTTP header.

In performing this technique, the URLs on a proxied page are modified to include the remote server name. On a given page, every URL can be categorized as either fully qualified (i.e. "http://www.merchant.com/urP or 'Wwww.merchant.com/url"), absolute (i.e. "/path/file.litnil"), or relative (i.e.

"path/file.litnil"). For fully qualified URLs, the remote server name is extracted  
11111  
from the URL, reversed (again, replacing . s with "P's), and prefixed with the server name  
of the proxy. For example, "http://www.amazon.com/dir/file.html"  
"http://proxy.surrogate.coni/moc/nozama/www/./  
/dir/file.html". If the URL refers to binary content such as graphical images, the URL is  
left unmodified so it will bypass the proxy.

If the URL is absolute, the remote server name is assumed to be the  
remote server the page came from unless the page contains a tag

45  
which can specify an alternate default remote server. Once the remote server is  
established, the absolute URL is converted to a fully qualified URL by prefixing the  
combination of the proxy server name and the reversed remote server name.

For example, "/dir/file.html" in a page loaded from  
llhttp:Hwww.amazon.comL." would be converted to  
llhttp://proxy.surrogate.com/moc/nozama/www/l/dir/file.html". If the URL  
refers to binary content such as graphical images, the default remote server name is  
prefixed unmodified so the request will bypass the proxy.

Rather than modifying relative URLs, a tag is inserted  
into the top of the page. If there is already a tag, the existing href value is modified as  
described herein, as it will be fully qualified or absolute. In the absence of an existing the  
href value would be  
"http://proxy.surrogate.com/moc/nozama/WWW/A/dir/path".

To find all URLs in a page, the proxy parses out the HTML tokens and  
finds those elements that can specify a link (i.e. SRC="", HREF=""  
ACTIONW"). For each element in the page, the associated link is transformed as described  
herein.

In addition to HTML links, it is possible to specify URLs in javascript.

For each block of javascript in a page, the constructs that can force a page reload (i.e.  
".location.replace(URL)", ".location=URL", ".location.href=URL") are modified such  
that the URL specification is encapsulated in a function call  
(i.e. ".location.replace(  
rcFunc(URL))", ".location=-rcFunc(URL)"). Additional  
javascript is then inserted into the page to implement the -rcFunc( function call. Given a  
fully qualified, absolute, or relative URL, the -rcFunc( call implements the  
transformations described herein.

46

An additional method of loading a new page is to use an HTTP header

such as "Location" or "Content-Location". The URLs specified in these headers are transformed as described herein.

New merchants are received into the surrogate system database by the surrogate shopping servers using an administrator and the Merchant Pay Page Tool. This allows one to go through a merchant site, find the forms that are to be processed, and specify to the servers how the forms are to be filled out.

Figures 48-56 illustrate use of a Merchant Pay Page Tool of an embodiment. The Merchant Pay Page Tool provides control over a form fill engine that automatically fills in merchant web site pages, or merchant pages, with user information requested upon check out or completion of a shopping session. Figure 48 is a merchant check out page 4800 prior to automatic fill by the form fill engine of an embodiment. Figure 49 is a merchant check out page 4900 displaying a trainer launch button of an embodiment. Figure 50 is a 1 5 training information page 5000 of an embodiment. Figure 51 is training information page 5 1 00 of an embodiment including saved form fill settings.

Figure 52 is a merchant check out page 5200 following automatic fill by the form fill engine of an embodiment. Figure 53 is a Purchase Wizard information page 5300 or form of an embodiment. Figure 54 is a merchant check out page 5400 without a Purchase Wizard template of an embodiment.

Figure 55 is a merchant check out page 5500 with a Pay Wizard template of an embodiment. Figure 56 shows an icon 5600 of an embodiment inserted into the merchant check out page wherein clicking on a field element name in a trainer window highlights the field in the merchant check out page.

The form fill engine automatically fills in merchant web site pages, or merchant pages. Figure 57 is a flow chart of an automatic form fill of an embodiment. For each merchant page that will be automatically filled in using form fill, there is a record stored in a database that describes how to identify the form and how to fill it out. Included in this record is page signature information such as a list of form element types and names, a URL description, and a domain identifier. In addition, this record also contains a description of how to fill out the forms in the page. These records are cross referenced in the surrogate system database based on the domain to which they apply (for example, ".amazon.com@").

When a page is fetched from a remote server 5702 by the proxy, the form fill engine fetches the records applying to the domain from which the remote page came 5704. For each record, the page description information is extracted 5706 to generate a scoring matrix and a list of instructions to implement the described form fill actions. This information is then cached locally in the proxy. Once this information is available, the merchant page is scored 5708 to see if it needs form fill.



In the scoring process, the form element types and names, the URL, and the domain for each record are compared to the merchant page in such a way that each record generates a score between 0 and 1. If the record with the highest score is over an absolute threshold of 80, for example, then the record is considered to be a match and the form fill process is initiated. Since the scoring process does not require an exact match of all page elements, it is immune from minor changes to the merchant pages.

When a match is found and form fill is to take place, the form fill instructions associated with the record are executed 5710. These instructions find and modify the various form tags within the page using information about the user that generated the request. When complete, the page is returned to the client browser 5712 where it appears pre-filled with the user's own information.

The form fill process performs the following operations depending on the form element type, but is not so limited.

text/password: insert/overwrite the "value='userValue...' pair in the tag;  
checkbox: insert/remove the "checked" keyword from the tag;  
radio button: insert the "checked" keyword in the selected button and remove the "checked" keyword from all other buttons in the group; and  
selection: insert the "selected" keyword in the selected option tag and remove the "selected" keyword from all other option tags in the group.

48

During form fill, the user is identified by an encrypted cookie. Using the cookie, the following user information is available from the database to complete the form fill process, but the embodiment is not so limited: full name (e.g., Jon Doe); first name (e.g., Jon); last name (e.g., Doe); login name (system generated); password (system generated); full address (e.g., 123 Main St. Suite B); address line 1 (e.g., 123 Main St.); address line 2 (e.g., Suite B); city (e.g., San Jose); state (e.g., California); state abbreviation (e.g., CA); country (e.g., United States); country abbreviation (e.g., US); zip code (e.g., 94523); full phone (e.g., 650 1234); area code (e.g., 650); phone prefix (e.g., 555); 1 0 phone postfix (e.g., 1234); email (e.g., jdoe@foo.net); credit card number (e.g., 41 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1); credit card expiration date (mm/yyyy) (e.g., 05/200 1); credit card expiration date (mmyy) (e.g., 0501); credit card expiration date (mm/yy) (e.g., 05/01); credit card expiration date (in) (e.g., 5); credit card expiration date (mm) (e.g., 05); credit card expiration date (yyyy) (e.g., 2001); and, credit card expiration date (yy) (e.g., 01).

Form fill records of an embodiment are stored in Extensible Markup Language (XML) format similar to that shown below, but are not so limited.

score>;

userText=" score>;

Because the Purchase Wizard has a consistent look and feel, and functionality across all merchants, a user can checkout on any site by simply following the instructions in the wizard and clicking on the Purchase Wizard continue button.

The surrogate system accommodates both a change in page layout over time and a change in page layout based on previous visits to the web site by the user in connecting the Purchase Wizard continue button to the correct link on the merchant page. Furthermore, multiple ways to link to the next page are accommodated, for example:

simple URL (e.g., ); form post using

50

submit (e.g., ); and, form post using image (e.g., ).

Typically, information to be sent back to the merchant is contained in a form that the user must complete. This being the case, the form contains some means for submitting the form, either in the form of a submit button or icon, or an image. Either way, the cases where the page layout changes over time or based on previous visits to the site by the user are handled by scoring the individual forms in a page similar to the way pages in the checkout process are scored for form fill. In this way, even if the layout of the page changes, the I O continue button can be attached to the correct form regardless of where it is located in the page.

In the case where the link to the next page is with URL, the continue button simply contains the same href as the desired link in the page.

At the time the Purchase Wizard is inserted into the page, the desired href is located and copied into the Purchase Wizard continue button.

In the cases where the link to the next page is a form post using a submit icon, and an image submit, the Purchase Wizard continue button uses javascript to submit the correct form. However, there can be additional complications due to the fact that there may be multiple submits in the same form. In this case, additional hidden tags will be inserted into the form so that the proxy can fix the post such that it appears to have come from the correct submit even if the Purchase Wizard continue button was used.

Similarly, in the case of an image submit, the resulting post back to the merchant should contain a name.x and name.y component that would normally be missing if javascript submit was used alone. Again, hidden tags are inserted into the form so that the proxy can fix the post to look like the image was actually clicked before passing it along to the merchant server.

The Purchase Wizard is inserted after the tag in the merchant page as it passes through the proxy. Figure 53 is a Pay Wizard or Purchase Wizard information page 5300 or form of an embodiment. Figure 54 is a merchant check out page 5400 without a Purchase Wizard template of an embodiment. Figure 55 is a merchant check out page 5500 with a Purchase Wizard template 5502 of an embodiment.

A trainer facilitates the process of generating form fill and wizard database records for merchant checkout pages. Figure 49 is a merchant check out page 4900 displaying a trainer launch button 4902 of an embodiment.

Figure 50 is a training information page 5000 of an embodiment. Figure 58 is a flow chart for a form fill training process of an embodiment. When enabled, the proxy performs the following actions 5802 on the pages that pass through it.

insert a uniquely named anchor in front of each form element; insert a uniquely ID named transparent image in front of each form element; insert javascript at the bottom of the page to create a popup window; and, insert a "start training" button or icon at the bottom of the page that will invoke the popup window.

Furthermore, the trainer generates the following HTML code for the popup window: for each form element that may need form fill, insert a row of controls 15 in the form fill portion of the trainer; and, for every submit button, insert a row of controls in the wizard portion of the trainer.

When the "start training" icon 4902 or button is selected 5804 in the browser page 4900, a popup window 5000 containing all the training information for this page is presented 5806. If this page was previously trained, the previously saved settings 5102 are reflected in the training window 5100.

The user can then use the controls in the training window to indicate to the proxy which portions of the page should be form filled, whether or not there should be a Purchase Wizard 5300 for this page, and to what the Purchase Wizard continue button should be attached 5808. To aid in the training process, icons 5602 are inserted into the original merchant document so that clicking on a field element name in the trainer window will highlight the field in the original document 5600.

When complete, a save button or icon in the trainer window is used to post the information back to the proxy 5810 which then converts the arguments to a database record. This record is stored in the database and all proxies are sent a cache flush message so that the next request for a page from the merchant 52 will reflect the new record regardless of which proxy server actually services the request. Figure 51 is training information page 5100 of an embodiment including saved form fill

settings.

In executing a purchase transaction, the surrogate shopping servers communicate with the merchant shopping site, but are not so limited. When payment is required, the surrogate shopping server sends information associated with the credit card assigned to the current shopper to the merchant site. The merchant is then able to use that credit card for payment for any product purchased by the user using the network associated with the credit card, for I 0 example the Visa, Mastercard, American Express, and Discover card network.

That request eventually gets back to the surrogate bank which will allow or decline the purchase through the surrogate system depending on the available balance and credit limit on that credit card.

Figure 59 is a flow chart for a data stream monitoring process of an I 5 embodiment. During the hosted shopping sessions the surrogate system provides real-time levels of control over the information available to a user by monitoring the data stream 5902 of transactions effected through the surrogate system and performing pattern recognition on data streams transmitted 5904 from the online merchant web site. The data stream monitoring and pattern recognition provides the surrogate system with information including the online merchant web sites visited by a user, the type of merchandise for which the user is shopping, and the type of items purchased by a user. As such, the surrogate system can control the provision of information 5906 to users and the purchases of a user. The control includes, but is not limited to, information or page insertion, information or page substitution, and information or page blocking 5908.

In controlling the provision of information, the surrogate system can insert pages or information into the information presented to the viewer by the online merchant web site in response to information obtained from the user.

The inserted information includes, but is not limited to, advertisements for items that are equivalent or similar to items for which the user is shopping or has

53

selected for purchase, special offers, and savings coupons for items that are equivalent or similar to items for which the user is shopping or has selected for purchase.

Likewise, the surrogate system can prevent or disable the viewing of information that otherwise might be presented to a user, thereby effecting a level of security. For example, a user identified as a minor child might be prevented from viewing information related to items that the user is not allowed to purchase, for example pornographic materials found on a merchant web site.

The surrogate system pattern recognition feature recognizes that material I 0 transmitted from the merchant might be pornographic and, in response, blocks viewing of the material while disabling the purchase mechanism associated with this material.

Furthermore, the surrogate system of an embodiment provides real-time control over the types of merchandise that can be purchased through the 1.5 surrogate system using Merchant Category Codes. This control is effected by allowing shopping at online merchants according to the Merchant Category Codes associated with particular merchants. In an alternate embodiment, this control can be effected by preventing shopping at online merchants according to the associated Merchant Category Codes.

A payment transaction is effected at such time as the user has completed a shopping session via the surrogate system at an online merchant shopping site and is ready to check out and pay for the selected merchandise. Figure 60 is a flow chart of a payment transaction of an embodiment. The surrogate system of an embodiment retrieves a credit card number from a pool of credit card numbers maintained by the surrogate system. The pool of credit cards can include Visa, Mastercard, Discover, and American Express credit cards, but is not so limited. The retrieved credit card number is associated with a credit card having available credit equal to or greater than the current purchase amount.

The selected credit card number, for purposes of the current transaction, is linked to the user with information including the user's name and transaction information including the transaction date, amount, merchant, and merchandise.

54

The surrogate system of an alternate embodiment assigns a unique credit card number to a user at the time the associated surrogate system account is opened or activated. While the assigned credit card is maintained in the surrogate system credit card pool, it is assigned for the exclusive use of the particular user for such time as the user has an active surrogate system account.

A payment transaction is completed using the assigned credit card number.

In effecting the purchase transaction, the surrogate system determines whether a surrogate credit card is assigned to the user 6002. If no credit card has been assigned, a credit card number is retrieved from the pool of credit I/O cards and assigned to the user 6004. The surrogate system next determines whether the credit card assigned is new, or whether the user's shipping address has changed. If it is determined that updated information is needed, the surrogate system prompts the user for updated information. The user is also prompted for any coupons that are to be applied to the purchase. The coupon 1.5 values or amounts, upon validation, are subtracted from the total amount of the purchase to arrive at the amount due from the user's account 6006.

A determination is made whether the user's account balance is greater than the amount due 6008. If the user's account balance is less than the amount due, a prompt is issued to the user as to whether the user wants to fund the difference with

another funding source, for example a personal credit card.

Additional funding sources used can also include online currency in currency conversion partner accounts and incentive codes. If the user does not wish to fund the difference with a personal credit card, the purchase transaction is terminated.

If the user does wish to fund the difference with a personal credit card 6010, then the user is prompted for the personal credit card information including the type of card, name on the card, billing address, card number, and card expiration date. The corresponding credit card network is queried to receive validation of the card. Upon validation of the user's personal credit card, the purchase transaction is continued.

55

The purchase transaction continues with the user reaching the final step of the purchase transaction wherein the user is queried to confirm the purchase.

Upon confirmation, when the user's personal credit card is used to fund the balance between the amount due and the amount present in the user's surrogate account, the appropriate credit card network is accessed and the user's personal credit card is charged for the balance. The funds charged against the user's personal credit card are credited to the user's account balance, thereby making the amount present in the user's surrogate account equal to the amount due.

The transaction continues with a determination whether there are any 10 pending operations that require loading/unloading of money to/from the surrogate credit card assigned to the user 6012. This step is used because, as a user deposits money into their surrogate account, or earns money, or redeems other forms of currency, the money is not loaded onto the surrogate card.

Instead, the money is marked as pending. In this manner, other monies are 15 accommodated that may be applied against a purchase, for example, coupons and monies from a user's own credit card. When any pending operations are determined to be complete, the surrogate bank is directed to perform a loading operation in which the amount due is loaded from the user's surrogate account to their surrogate credit card. A final purchase request is transferred to the online merchant shopping site, and the user's surrogate account balance is adjusted accordingly 6014.

Offline shopping is supported by the surrogate system of an embodiment. In supporting offline shopping a user, upon acceptance of applicable restrictions and permissions, may select an option upon opening an account in the surrogate system resulting in the issuance of a physical debit card. The debit card can be issued by a credit card issuer or bank and is of a type including Visa, Mastercard, American Express, and Discover, but is not so limited. The debit card is linked to the user's surrogate account, and has an available spending limit equal to the amount of credit in the user's surrogate system account. The surrogate system periodically updates the debit card

issuing authority as to the available spending limit associated with each debit  
56

card for which the surrogate system has a corresponding account. The offline merchants  
enabled to accept the card are controlled by the issuing authority using Merchant  
Category Codes. In this manner, the types of merchandise that can be purchased with the  
debit card are limited.

In performing surrogate credit card reconciliation subsequent to  
completed purchase transactions, the surrogate system of an embodiment  
maintains two ledgers, a surrogate system ledger, and a credit card statement ledger. The  
surrogate system ledger is available for viewing by the user while the credit card ledger is  
not available for viewing, but the system is not so limited. The surrogate system  
ledger captures the user's surrogate account balance and all shopping activity based on  
the merchant web pages. The credit card statement ledger is periodically returned by the  
surrogate bank, for example each night, and contains all activity resulting in a surrogate  
account balance change including purchasing and card loading activities. The surrogate 1  
5 system receives the credit card statement ledger from the bank and uses it to adjust the  
surrogate system ledger to reflect surrogate system account activities.

In performing the reconciliation, the credit card statement ledger  
provides merchant charges against the surrogate credit cards. These entries are matched  
up with corresponding entries in the surrogate system ledger and any  
difference in amounts between the credit card statement ledger and the  
surrogate system ledger are adjusted using an adjustment record to the surrogate system  
ledger. The entries are matched using the merchant name and a match of the purchase  
prices within a programmable percentage amount.

Other reconciliation situations involve returned items and orders that do not ship. If a  
user returns an item, the merchant credits an amount back to the corresponding surrogate  
credit card. That credit amount will display in the credit card ledger, and that credit will  
be applied to the surrogate system ledger when detected.

If an order does not ship, or is cancelled, the surrogate system ledger  
will have one or more entries that are not reconciled for a specified timeout period, for  
example, 60 days. If no reconciliation occurs, then a credit can  
57  
immediately be given to the user, or a report sent to the surrogate financial administrator  
to allow further research into the specific purchase status, but the embodiment is not so  
limited. The surrogate financial administrators have access to both types of ledgers in  
order to take manual action as required.

Reports may be generated at any time displaying any discrepancies.

The surrogate system maintains strict control of emails sent from the  
merchant shopping site to the user in order to filter out spam, or unsolicited,  
transmissions, protect credit card numbers or other surrogate system

information, or to use the email for its own internal processing. In performing 1 0 this function, users of the surrogate system are prompted to input their email address during sign up or administration. However, instead of using the user's actual email address, the surrogate system provides a unique surrogate email address for each user when an email address is requested by an online merchant.

The surrogate email address is not known by the user to which it is assigned.

1 5 When email is received at this unique email address, the surrogate email proxy looks up or determines the user's actual email address from the database, performs any operations based on the email content, and forwards it onto the customer if so requested. Therefore, when a merchant shopping site uses an email to communicate with the user, the proxied email addresses are used instead.

The purpose of this surrogate email address is to ensure that all email from the online merchant to the user is sent initially to the surrogate email proxy. The surrogate email proxy processes the email before sending it to the user, processing that includes filtering and categorizing of the email. Therefore, the user continues to receive the emails they expect from the online merchant, for example order confirmation and status emails, unless the surrogate email proxy chooses to not forward a specific email based on the configuration.

Upon specifying an email address to the surrogate system management during sign up or administration, the surrogate system assigns a unique secret email address for the new user. The user's email address goes to the special surrogate email server along with the corresponding secret email address, for  
58

example: user@aol.com ==> ss-random123@surrogate.com. When the user shops at merchant shopping sites via the surrogate shopping servers and an email address is requested by the merchant site, the surrogate email address is provided rather than the real email address.

When a merchant sends email to the user it is sent to the special surrogate email address. The surrogate email proxy determines the user's actual email address from the surrogate database and replaces all instances of the special surrogate email address with the actual email address. Furthermore, the surrogate email proxy removes all credit card numbers and other internal surrogate system data from the merchant email transmission.

The surrogate email proxy also applies any corresponding merchantspecific filters to the email message, depending on where the email message originated. Using classifications based on the content in the email header and body, the surrogate email proxy evaluates the email and classifies it into one of 1 5 the following categories: SPAM, if the user configures their account to not receive spam, this email is eliminated; STATUS, forward to the actual email



address, keeping a copy within the surrogate system for administrative purposes; NORMAL, forward to the actual email address; UNKNOWN, do not forward the email, and send it to a special surrogate account where it is reviewed before classifying it as either SPAM, STATUS, or NORMAL. As such, the surrogate email proxy determines whether to provide email from the online merchant to the user.

The foregoing description of various embodiments of the claimed invention is presented for purposes of illustration and description. It is not intended to limit the claimed invention to the precise forms disclosed. Many modifications and equivalent arrangements may be apparent.

59

## CLAIMS

### Claims:

1 A method for surrogate control of electronic commerce transactions, comprising: funding at least one surrogate account in a surrogate electronic system; accessing at least one electronic commerce system through the surrogate electronic system; selecting at least one item for purchase from the at least one electronic commerce system; selecting at least one credit account in the surrogate electronic system; determining an amount due to complete at least one purchase transaction on the at least one electronic commerce system; I I transferring funds equal to the amount due from the at least one surrogate account to the at least one credit account; and executing the at least one purchase transaction using the at least one credit account.

2 The method of claim 1, further comprising performing fraud detection on at least one fund source.

3 The method of claim 1, wherein funding comprises placing funds in the at least one surrogate account from at least one fund source, wherein the at least one fund source includes at least one fund source selected from a group consisting of credit cards, checks, money orders, gift certificates, incentives, online electronic currency, Automatic Teller Machines, and stored value cards.

4 The method of claim 3, wherein funding using online electronic currency comprises: determining a plurality of online electronic currency balances in a plurality of accounts; 60 aggregating an amount of online electronic currency from the plurality of accounts.

5 The method of claim 1, wherein accessing is transparent.

6. The method of claim 1, further comprising: compiling records of purchase transactions completed through the surrogate electronic system; presenting at least one list of merchants rank ordered according to the compiled records.

7 The method of claim 1, further comprising controlling information provided through the surrogate electronic system from the at least one electronic

commerce system. i 8. The method of claim 7, wherein the controlling comprises: monitoring data streams; performing pattern recognition on data streams transferred from the at least one electronic commerce system; determining content of the data streams; controlling information provided from the at least one electronic commerce system in response to the content.

9 The method of claim 8, wherein controlling includes at least one operation selected from a group consisting of inserting additional information into the data stream, substituting information in the data stream, filtering information in the data stream, and removing information from the data stream.

10 The method of claim 7, wherein the controlling comprises: assigning a surrogate electronic mail address to a user that is mapped to an actual electronic mail address of the user; providing the surrogate electronic mail address to the at least one electronic commerce system in response to requests for the actual electronic mail address; filtering and categorizing electronic mail received from the at least one electronic commerce system, wherein sensitive information of the surrogate electronic system is removed; and forwarding the filtered electronic mail to the actual electronic mail address of the user. 11. The method of claim 1, further comprising reconciling transactions for the at least one credit account, wherein reconciling includes: maintaining a surrogate system ledger including at least one balance for the at least one surrogate account and at least one corresponding purchase transaction record; periodically receiving a credit account statement ledger including purchase transactions resulting in a change in the at least one balance; and using the credit account statement ledger to adjust the surrogate system ledger.

12 The method of claim 1, wherein determining an amount due to complete at least one purchase transaction comprises: determining a total amount due to complete the at least one purchase transaction; determining a value of applicable credits selected from a group consisting of coupons, merchant incentives, and surrogate system incentives; and subtracting the value of applicable credits from the total amount due to get the amount due.

13 The method of claim 1, wherein selecting at least one credit account includes determining if the available credit of the at least one credit account is sufficient to cover a purchase amount of the at least one purchase transaction. 62

14 The method of claim 1, wherein transferring funds comprises: determining if a balance of the at least one surrogate account is enough to cover the amount due; and increasing the balance of the at least one surrogate account if the balance is not enough, the increasing including receiving and aggregating funds from a plurality of fund sources.

15 A system for surrogate control of electronic commerce transactions, comprising: a surrogate web site coupled among at least one client computer, at least one financial system, and at least one database including at least one user account, wherein the at least one user account is funded by a user with at least one user funding source; at least one proxy server coupled among the at least one database, the at least one client computer, and at least one electronic merchant system, wherein at least one purchase transaction is supported on the at least one client browser 10 and the at least one electronic merchant system through the at least one proxy 11 server, wherein payment for the at least one purchase transaction is funded using a surrogate funding source loaded

with funds from the at least one user 1 3 account.

16 The system of claim 15, further comprising at least one fraud detection device for performing fraud detection scoring on the at least one user funding source and information associated with the user.

17 The system of claim 15, wherein the at least one user account is funded by placing funds in the at least one user account from the at least one user funding source, wherein the at least one user funding source includes at least one funding source selected from a group consisting of credit cards, checks, money orders, gift certificates, incentives, online electronic currency, Automatic Teller Machines, and stored value cards.

18 The system of claim 17, wherein funding using online electronic currency comprises: determining a plurality of online electronic currency balances in a plurality of accounts at a plurality of locations on at least one network; aggregating an amount of online electronic currency from the plurality of accounts.

19 The system of claim 15, wherein the at least one proxy server; compiles records of purchase transactions completed through the system; presents to the user at least one list of electronic merchant systems rank ordered according to the compiled records.

20 The system of claim 15, wherein the at least one proxy server controls information provided through the surrogate web site from the at least one electronic merchant system, wherein the at least one proxy server includes at least one shopping proxy server and at least one email proxy server.

21 The system of claim 20, wherein the controlling comprises: monitoring data streams; performing pattern recognition on data streams transferred from the at least one electronic merchant system; determining content of the data streams; controlling information provided to the at least one client browser from the at least one electronic merchant system in response to the content.

22 The system of claim 21, wherein controlling includes at least one operation selected from a group consisting of inserting additional information into the data stream, substituting information in the data stream, filtering information in the data stream, and removing information from the data stream.

23 The system of claim 20, wherein the controlling comprises: assigning a surrogate electronic mail address to the user that is mapped to an actual electronic mail address of the user; providing the surrogate electronic mail address to the at least one electronic merchant system in response to requests for the actual electronic mail address; filtering and categorizing electronic mail received from the at least one electronic merchant system, wherein sensitive information of the system for surrogate control is removed; and forwarding the filtered electronic mail to the actual electronic mail address of the user.

24 The system of claim 15, wherein the at least one proxy server reconciles transactions for the at least one user account, wherein reconciling includes: maintaining a surrogate system ledger including at least one balance for the at least one user account and at least one corresponding purchase transaction record; periodically receiving a credit account statement ledger including purchase transactions resulting in a

change in the at least one balance; and using the credit account statement ledger to adjust the surrogate system ledger.

25 The system of claim 15, wherein the at least one proxy server determines an amount due to complete the at least one purchase transaction by: determining a total amount due to complete the at least one purchase transaction; determining a value of applicable credits selected from a group consisting of coupons, merchant incentives, and surrogate system incentives; and subtracting the value of applicable credits from the total amount due to get the amount due.

26 The system of claim 15, wherein payment for the at least one purchase includes determining if the available credit of the surrogate funding source is sufficient to cover a purchase amount of the at least one purchase transaction.

27 The system of claim 15, wherein payment for the at least one purchase transaction comprises: determining if a balance of the at least one user account is enough to cover the amount due; and increasing the balance of the at least one user account if the balance is not enough, the increasing including receiving and aggregating funds from a plurality of fund sources.

28 A device for controlling electronic commerce transactions, comprising at least one surrogate processing system including a database coupled among at least one client computer and at least one electronic merchant system and a surrogate web site and at least one financial system and at least one transparent proxy server, wherein the at least one surrogate processing system is configured to: fund at least one surrogate account in the database; access the at least one electronic merchant system to allow selection of items for purchase from the at least one electronic merchant system using the at least one client computer; 1. select at least one surrogate credit account; determine an amount due to complete at least one purchase transaction; 3. on the at least one electronic merchant system; transfer funds equal to the amount due from the at least one surrogate 1.5 account to the at least one surrogate credit account; and 6. execute the at least one purchase transaction using the at least one 1.7 surrogate credit account.

29 The device of claim 28, wherein the at least one surrogate processing system is further configured to perform fraud detection scoring on at least one fund source.

30 The device of claim 28, wherein funding comprises placing funds in the at least one surrogate account from at least one fund source, wherein the at least one fund source includes at least one fund source selected from a group consisting of credit cards, checks, money orders, gift certificates, incentives, online electronic currency, Automatic Teller Machines, and stored value cards.

31 The device of claim 30, wherein funding using online electronic currency comprises: determining a plurality of online electronic currency balances in a plurality of accounts at a plurality of locations on at least one network; aggregating an amount of online electronic currency from the plurality of accounts.

32 The device of claim 28, wherein the at least one surrogate processing system is further configured to: compile records of purchase transactions completed through the surrogate electronic system; present to a user at least one list of merchants rank ordered according to the compiled records.

33 The device of claim 28, wherein the at least one surrogate processing

system is further configured to control information provided through the surrogate electronic system from the at least one electronic commerce system using the at least one transparent proxy server, wherein the at least one transparent proxy server includes at least one shopping proxy server and at least one email proxy server.

34 The device of claim 33, wherein the control of information comprises: monitoring data streams; performing pattern recognition on data streams transferred from the at least one electronic commerce system; determining content of the data streams; controlling information provided to the at least one client computer from the at least one electronic commerce system in response to the content.

35 The device of claim 34, wherein controlling information includes at least one operation selected from a group consisting of inserting additional information into the data stream, substituting information in the data stream, filtering information in the data stream, and removing information from the data stream.

36 The device of claim 33, wherein the control of information comprises: assigning a surrogate electronic mail address to a user that is mapped to an actual electronic mail address of the user; providing the surrogate electronic mail address to the at least one electronic commerce system in response to requests for the actual electronic mail address; filtering and categorizing electronic mail received from the at least one electronic commerce system, wherein sensitive information of the surrogate electronic system is removed; and forwarding the filtered electronic mail to the actual electronic mail address of the user.

37 The device of claim 28, wherein the at least one surrogate processing system is further configured to reconcile transactions for the at least one credit account by: maintaining a surrogate system ledger including at least one balance for the at least one surrogate account and at least one corresponding purchase transaction record; periodically receiving a credit account statement ledger including purchase transactions resulting in a change in the at least one balance; and using the credit account statement ledger to adjust the surrogate system ledger.

38 The device of claim 28, wherein determining an amount due to complete at least one purchase transaction comprises: determining a total amount due to complete the at least one purchase transaction; determining a value of applicable credits selected from a group consisting of coupons, merchant incentives, and surrogate system incentives; and subtracting the value of applicable credits from the total amount due to get the amount due.

39 The device of claim 28, wherein selecting at least one surrogate credit account includes determining if the available credit of the at least one surrogate credit account is sufficient to cover a purchase amount of the at least one purchase transaction.

40 The device of claim 28, wherein transferring funds comprises: determining if a balance of the at least one surrogate credit account is enough to cover the amount due; and increasing the balance of the at least one surrogate credit account if the balance is not enough, the increasing including receiving and aggregating funds from a plurality of fund sources.

41 A computer readable medium containing executable instructions which, when executed in a processing system, causes the system to control electronic commerce transactions, the control comprising: funding at least one surrogate account in a surrogate

electronic system; accessing at least one electronic commerce system through the surrogate electronic system; selecting at least one item for purchase from the at least one electronic commerce system; selecting at least one credit account in the surrogate electronic system; determining an amount due to complete at least one purchase transaction; on the at least one electronic commerce system; transferring funds equal to the amount due from the at least one surrogate account to the at least one credit account; and executing the at least one purchase transaction using the at least one credit account.

42 The computer readable medium of claim 41, wherein funding comprises placing funds in the at least one surrogate account from at least one fund source, wherein the at least one fund source includes at least one fund source selected from a group consisting of credit cards, checks, money orders, gift certificates, incentives, online electronic currency, Automatic Teller Machines, and stored value cards, wherein funding using online electronic currency includes determining a plurality of online electronic currency balances in a plurality of accounts, and aggregating an amount of online electronic currency from the plurality of accounts.

43 The computer readable medium of claim 41, wherein the control further comprises: compiling records of purchase transactions completed through the surrogate electronic system; 70 presenting at least one list of merchants rank ordered according to the compiled records.

44 The computer readable medium of claim 41, wherein the control further comprises controlling information provided through the surrogate electronic system from the at least one electronic commerce system.

45 The computer readable medium of claim 44, wherein controlling information comprises: monitoring data streams; performing pattern recognition on data streams transferred from the at least one electronic commerce system; determining content of the data streams; controlling information provided from the at least one electronic commerce system in response to the content.

46 The computer readable medium of claim 45, wherein controlling information includes at least one operation selected from a group consisting of inserting additional information into the data stream, substituting information in the data stream, filtering information in the data stream, and removing information from the data stream.

47 The computer readable medium of claim 44, wherein controlling information comprises: assigning a surrogate electronic mail address to a user that is mapped to an actual electronic mail address of the user; providing the surrogate electronic mail address to the at least one electronic commerce system in response to requests for the actual electronic mail address; 71 filtering and categorizing electronic mail received from the at least one electronic commerce system, wherein sensitive information of the surrogate electronic system is removed; and 1 forwarding the filtered electronic mail to the actual electronic mail address of the user.

48 The computer readable medium of claim 41, wherein the control further comprises reconciling transactions for the at least one credit account, wherein reconciling includes: maintaining a surrogate system ledger including at least one balance for the at least one surrogate account and at least one corresponding purchase transaction record; periodically receiving a credit account statement ledger including purchase transactions resulting in a change in the at least one balance; and using the credit account

statement ledger to adjust the surrogate system's ledger.

49 An electromagnetic medium containing executable instructions which, when executed in a processing system, causes the system to control electronic commerce transactions, the control comprising: funding at least one surrogate account in a surrogate electronic system; accessing at least one electronic commerce system through the surrogate electronic system; selecting at least one item for purchase from the at least one electronic commerce system; selecting at least one credit account in the surrogate electronic system; determining an amount due to complete at least one purchase transaction; on the at least one electronic commerce system; transferring funds equal to the amount due from the at least one surrogate account to the at least one credit account; and executing the at least one purchase transaction using the at least one credit account.

50 The electromagnetic medium of claim 49, wherein funding comprises placing funds in the at least one surrogate account from at least one fund source, wherein the at least one fund source includes at least one fund source selected from a group consisting of credit cards, checks, money orders, gift certificates, incentives, online electronic currency, Automatic Teller Machines, and stored value cards, wherein funding using online electronic currency includes determining a plurality of online electronic currency balances in a plurality of accounts, and aggregating an amount of online electronic currency from the plurality of accounts.

51 The electromagnetic medium of claim 49, wherein the control further comprises: compiling records of purchase transactions completed through the surrogate electronic system; presenting at least one list of merchants ranked according to the compiled records.

52 The electromagnetic medium of claim 49, wherein the control further comprises controlling information provided through the surrogate electronic system from the at least one electronic commerce system.

53 The electromagnetic medium of claim 52, wherein controlling information comprises: monitoring data streams; performing pattern recognition on data streams transferred from the at least one electronic commerce system; determining content of the data streams; controlling information provided from the at least one electronic commerce system in response to the content.

54 The electromagnetic medium of claim 53, wherein controlling information includes at least one operation selected from a group consisting of inserting additional information into the data stream, substituting information in the data stream, filtering information in the data stream, and removing information from the data stream.

55 The electromagnetic medium of claim 52, wherein controlling information comprises: assigning a surrogate electronic mail address to a user that is mapped to an actual electronic mail address of the user; providing the surrogate electronic mail address to the at least one electronic commerce system in response to requests for the actual electronic mail address; filtering and categorizing electronic mail received from the at least one electronic commerce system, wherein sensitive information of the surrogate electronic system is removed; and forwarding the filtered electronic mail to the actual electronic mail address of the user.

56 The electromagnetic medium of claim 49, wherein the control further comprises reconciling transactions for the at least one credit account, wherein reconciling

includes:maintaining a surrogate system ledger including at least one balance for the at least one surrogate account and at least one corresponding purchase transaction record;periodically receiving a credit account statement ledger including purchase transactions resulting in a change in the at least one balance; and74using the credit account statement ledger to adjust the surrogate system ledger.75100WEB SERVER 110102 GUEST BROWSING(DUSER/FUNDER LOGON USERMERCHANTREVIEW ACCOUNT TRANSACTIONSOR TRANSACTIONS SHOPPING AT ONLINE --- %MERCHANTS NE%TProxy SERVER0RK106 SURROGATErr% SHOPPERS PAY ---> FORM121 FOR PURCHASES FILL ENGINESURROGATE 200SYSTEM SURROGATE 202SYSTEMMANAGEMENTWEBSITE212CLIENT N MERCHANTPAYE PAGE TOOLOOMPUTER T SURROGATE SYSTEM DATABASE204WEB W0RBROWSER K SURROGATE FRAUDSHOPPING DETECTION290 299 SERVERS Q SURROGATE206 (214 BANK210< ----- SURROGATE 208EMAIL PROXY299 NETWORKMERCHANT SHOPPI S 292CLIENT ECOMPUTER T SURROGATESYSTEM <WES W 200BROWSER 0290 R EK TW0GETWOR@K 19-9 R NETWORKI299MERCHANT SITES 0SYSTEMS292INCENCONSITES 0http://www.tocketcasKcom/tc/index.htmNOW @ 'atWW &OW.rz @04latell Your Ifiggs andcam cashVfff redeem lem!cervicates.see today's dealzenter to win!!!\$250 shopping spree@0) -'0112"Up floormore \*Shoppk%nter surrogat 502i -Input user informatio7n -@- 504FActivate user account in surrogate system!--@- 506Figure 5/www.tocketcasKcom/rc/fridexhtmlC" your Irlenos andeam cash \$SSOR cerwicatessee today's dealzY\*Wab spreeo\*\*\* ...b.Olearnmore eshoppma 0WinAI Hhttps://www.Focketcash.com/tc/signuplitgnup.MmlM "i"rj Signing up for RocketCash Is easy. Fill out the Information below to set up a \$135 in Coupons RocketCash account, and you'll be ready to shop on-line I And now for a limited from these merchants:- time, peer can get\$85 In valerableceapeas just for signing up. These coupons are ay lla ble exclusively through RocketCash and save you money at some of theco:lest merchants an the Internet!AccSt Username: jTeertq!@enj@.l 6.15 charictm; let= md remben only; ym usuwxm cm\$10 off your first \$25 purchase rwt Casten spacesrkat cise-seriskive (ex: NiThert is Ow secat is MTHUMyou cmewt dwCe k, to nalke lL comilPassword: l@ \$5 off your first \$25 purchase .- , - ----- -- 7oqsma as above, exqv &1SeaY&:ezvidw.-yc%rp&srmod cmrAcaratin spacesyou cm dap this lda ifyou Meshop. keep yvar pisinorord privote - daft dm lL with eryorte!online. Re-typeCOM 7\$10 off your first \$35 purchase Password:PasswordmeW181101 Hint: 70(0: thauMbeadnowsoom Vnln tman lL to Yom Ifyou 112vt Yom ptr=d\$10 off your first \$25 purchase E-mail 70@Address: F!@!@ct@ @eenl 3@yahoo.com. 111M K'J M E Is 15-11 Hhttps://Mww.locketcash.com/tc/sign-up/s'Ignup-HrrA10 WIN.\$10 off your first \$35 purchase Password:Password 70&Hint:ednowsoom 'dumldbe\$10 off your first \$25 purchase \* We'll MuR It to YOU ifyou 1MVl yow ptrsmdE-mailAddress: F7eeng7ueenl 3@yahoo.co70411010\*16: Jolrk-unkhatol.cm \*pity ObWm, huh?y'Mel't Rn Yom dML bAve film. otherwise we cin't CM you pod\$10 off your first \$50 purchase savicelSign-UpCode: .. ..... \$10 off your first \$5o purchase to Ttceivt these cOuPOW, lem this fuld is is/ F.-x- 71 0Date of Birth: FA'Pr'd / F534select your ddA cibirik thove \*eqWnd)- Privacy policyHelp\$10 off your first \$25 purchaseLegal stuff: RocketCash Is a free service and does not require a minimumbalance. To access your free coupons, You must open al new RocketCash account e v e \* c o m and use the coupons by June 30, 2000.



Offers are valid only on purchases made through RocketCash at the specific merchant. Not valid in combination with other coupons, special offers or discounts. Limit one per household. offer valid for US\$10 off your first \$35 purchase residents only.02000 RocketCash Corporation. All rights reserved.Ilit,OWNr7 GZ.\$10 off your first \$30 purchaseFt(4M Hip ://www.irocketcash.com/rc/scripts/doCongrats.cgiVAT14. You now have a RocketCash shopping account! You're now ready to access the amazing selection, discounts and convenience of onlineshopping! All this Is now yourssa cool stuff from so many online merchants - and not just the "biggles" but lots of fresh ones tooa no credit card? no problem - RocketCash is your license to shoponline without plastic!a better prices on lots of stuff, plus the ability to do quick and easycomparison shoppingerything delivered to the front door - It's so easy, even youra get eVarents could get the hang of it (but don't let them know that pRocketCash Is for Voe)!!!!Don't forget to keep your username and password to yourself. Would youwant someone else shopping with your money? V@ - 9'0:ZUEEN1 3Username:Got friends? Tell themAccount about RocketCash and earnBalance: money for everyone ... @ @tftf1 Cash0 loqClick here to Add Money to Your Account I Click here to ShopEnter surroga 1002Select funding typ7e 10044Input funding information 1006ICheck/validate funding source 1008jApply funds to selected account 1 01 0GFigure 10wIM .15MMMUMP111111111111S://wv4w.tocketcash.cofn/fc/scfipts/doCongrats.cgiYou now have a RocketCash shopping account! You're now ready to access the amazing selection, discounts and convenience of onlineshopping! All this Is now yoursta cool stuff from so many online merchants - and not just the "biggles" but lots of fresh ones tooa no credit card? no problem - RocketCash Is your license to shoponline without plastic!a better prices on lots of stuff, plus the ability to do quick and easycomparison shopping0 get everything delivered to the front door - It's so easy, even yourparents could get the hang of it (but don't let them know that RocketCash Is for year)!!!!Don't forget to keep your username and password to yourself. Would youwant someone else shopping with your money?Username: JTE@NQUEEN'1 . jGot friends? Tell themAccount about RocketCash and earn 7 ...Balance: money for everyoneII ftM Cub \$" Ft (aclck here to Add ney to Your Acco nt I Click here to ShooMY wo"t"M VW. IMMUNE 51 t1d2oA:r";/Zo@/Zoolsa Mas, arear@ AmourlCakd.#jotV t,----- --ai i i i 0.4l Add- i- 14 IrAddr@i.ci..... phakij...Mor FIE..... LLJM https://www.rocketcashcomirc/scripts/doOneTimeFund.cgiCongratulations, you have just added some cash to your60 RocketCash account. You are now ready to shop!!! Logon Name: TFEENQUEEN13 lq'qADeposit Amount: 11409Your Total Balance: lqo(vOs 0Hol://www.focketcashcom/rc/sign-up/adclMoney.htH1@50xoL150 IfVv Parent Questions?rj Gift CertificateGift Certificate Code0 Check or Money Order0 Visa/ MastercardAmountcardExp. Date JMon@ @ (as It appears on the credit card)First LastName NameBilling Addr lAddressNEW 11MLIT9=1111rol M.@ RIM=s://www.rocketeash.com/fe/sigrLup/parerk.signup.hiHivf you're already a Rocket Cash Parent/Administrator or you havean existing account, enter here.UserName:Password: -z- 1(4911To set-up a now Parent/Administrator account fill in theInformation below.UserName:Password:ConfirmPassword:PasswordaidennameHint:E-mail Com IGAddress:Sign-UpCode:F1(pq.yrft711 17 0 PIN:04. It.400 ilil'bo th\*,-b\*,dft,-"MxjLaw (70@z.IT 0. .... .06nefog.!( -, -i ip, i 0 -@', gOL4r 6 0, l@ @R ARWW' "A 6 OA

POM RV jr7aO7A2tm\*.Trln.vn:mm1 [BRIM MM awni r1TMw.TjlfimwF.TfU\*]I&lhttp://www.rocketcasKcom/rc/findxhtmlASYell your frignes andearn cashsee today's dealzenter to win52W iMM1 l1hup 01"armors \*ShOppN 0'i i. f" w' io "i. i; v .4.EF.Tr M- al If you are already a RocketCmem et MM\*M here to redeem a RocketCasNF ou are not a RocketCashySkjnw & "KlSEm ""@ere to signup and then rediGift Certificate.Click here to buy RocketCaslbW A 9M cer6ficaw perfect gift for any occasion.190&:://www.rocketcash.com/rc/scfos/doBuyGwTert.cg@iRL eeWant to get the perfect gift for the teenager In your life but you're not up on what's hot and what's not? Get them a RocketCash Gift Certificate - the most versatile giftfor teens on the Web IRocketCash Gift Certificates are perfect for anyone who wants to shop online. They don't have to be a RockatCash member - they can sign up when they receive their Gift Certificate. It's all free. And because RocketCash Gift Certificates are just like cash, they can be used at several online stores, notjust one. The lucky recipient can buy clothes at Delia's AND a CD at CDNOW. From clothes to music to gadgets of all kinds, RocketCashGift Certificates give the best gift of all - choice!You can buy several RocketCash Gift Certificates In one session. To begin, fill out the form below (optional fields are green).Now do you buy a RocketCash GiftCertificate?Step 1: Choose pay method Pay Method: M Visa / Mastercard r@ Check / Money OrderStep 2% Fill out this basic form 1 @06q "/ (0Stop 3i Click 'Process' To: JqSi@ah From:Step 4z Choose a delivery (recipient) (purchaser)option (next page) Message (in case you want to have a little note attached)You can also pay by phone I. Call RocketCash Toll-Free IHappy Birthday Sweetheart1(888) 938-5183 2.0 10(gm camdt Sde\$ onkf) IAmount A11 on onRHM. Muz @ .....MOORI M. starcard.201Aams.'Aame!ao lek Ap4 A. .... ..lt- 5tatsa 0 al..... ..I-Enter surrogate system 2202I Provide currency conversion partner account information 2204jAcquire currency conversion partner balances 2206fTransfer specified amount from currency conversion partners 2208iCredittransferredamoumnttosurrogateaccount 1-@-2210C DFigure 22@ Access merchant system 2302jSelectitemsio @rpurch@ase --2304f @iect surrogate credit card for purchase transaction@ --@- 2306Determine amount due to complete purchase transactions 2308Load funds from user account to surrogatecredit card --- 231 0Execute purchase transaction 2312C:Figure 23http://www.rocketcasKcom/fe/@hopp@mg/pages/shopping-member.phtmlIMAK % WVOTAU01111NOOKUWASS OTW\*40\*/A/0heck outPC 4(under your balance'A@%&/" 11COuP4)nS1(under your balarze) for a chanceto save \$10 off yourfor a chance to save\$10 off your next \$25 next \$35 purchaseA purchase at CDNOW at e V eC o mamazokUmlt oneICDNOW urnitone I/Coupe" e". Com COUPWt L10P, per customerAVALift%,@! sites to check outRolling Stone wants to send you 4 bonusissues- and offer you a special RocketCashTEENQUEEN13. . . Balance \$20.00Coupons!10 h.ttp://www.focketcash.com/rc/shopPWPagei/shopping-member.phtmlIcheck outk : In@.x-. Couponsi PURCHASq '@ @eundm your baW") DIEA\*\*ior a chance to save Dr next \$30z pj!@ Id E L i A sMs Bfueschdkclck a logo below to shop "lw@ ww"o Pmm- ficrew@iom ibbautydom6WBStorTEENQUEEN13Ng& N ance \$20.00BalCoupons!://www.rocketcasKcom/rc/shopping/pages/shopping-member.phtmlPons'! Wk i check out -4G".ck:ftt#-Gb(under your balance)Couponoll your balance) for a chancefor a chance to save \$tO off yourve \$10 off next \$30 purchasenext \$25 atrchase atbuvcnline.com Urnit onene.com KKKId9 couponmeper amsto rclck a logo

[belowmmm A NE We nu Jcrewcom2 6, 0 :7agowith CherKBklds.com0 Troublewear Kids Play TeeTEENQUEENISBalance \\$20.00Coupons!4M hit](#)  
[Www.rocketcasl%comha/shopping/pages/shoppin"ember.phtmlhimDIESEL ABoo'comlbeauty.coDKNY Alloy Online Infogrames 4k1-1the eonlineca@@ JAMES BOND Diredriamazon.com icre,Joul@ American Eagle =rnARTISTdirect Superstore K- TelbackstreetboysDIRECT KINKlds.commbeygnd.com KORN Direblastar.com LIMP BIZKIT DirectRICCI Borders.com Littleath on-linebuckle](#)  
[MAGAZINES.com\\*:apsfzed\\*4MATTEL.com -4NCbsVm e\\$IETALLZCA DlrC0142WMP3.comCHER blrme4v mXQ Onlinechickshops](#)  
[NextPlanatOver.comChips & Bits NSYNCDlrechlinshot.comClaire0 - sD - G Office Max el 7N.'OFFSPRING Direct4k/dEUAs.cOm Outoost.coma.. cleslaneroutletcom](#)  
[PacSun.camdroag.com Paris BluesEBW\(vid.com PETsMART.comjKjbles RAGE AGAINST THEESPRIT MACHINEEeve.tom Reel.comFoadoo SgJorts Rolling StoneFOO FIGHTERS Dire Senrio.Fossil shades.comXg Online fuslon.com shoo.ecinfinelmTweety Bean Boo GarnePro Suverstore staglesTEENQUEEN13Balance](#)  
[\\$20.00Couponsftrilhttp-.1/www.rocketcash.com/rc/shopping/pages/shopping-member.phtmlIOPA C NDIESEL 800.comlbeauty.comDKW Alloy Online](#)  
[Infooramesalitheraeonline JAMES BOND Direamazon.com. icrew.comII American Eagle JourneysARTISTdirect Superstore K-TellbackstreetbogsDIRECT KBklds.combeyond.com KORN Direbigstar.com LIMP BIZKIT DirectRI CCI Borders. com Littlearth on-linebtickle MAGAZINES.comjMATTEL.comMETALLICA Direct e\\*1@ -o4R"IMP3.comCHER re mXo Onlinechickshops NextPlanetOver.comChips & Bits NSYNCDireetchipshot.comClaire0 - sOffice Maxs D - G OFFSPRING Direct 2%0:zdELIAS.cOm outpost'Com\(lesigneroutiet.com PacSun.comdroog.com Paris BluesEBWorld.com PET'sMART.cornel-lobbles RAGE AGAINST THEESPRIT MACHINEEeve.com Reel.comKid Foodog Sports Rolling StoneFOO FIGHTERS Dire Sandofula shades.co zqofusion.com hop.conlikoemTweety Bean Bag GamaPro Suporstore](#)  
[nawITEENQUEENIS45.00o:llwww.rocketcash.comirc/shopping/pages/shopp7ing-member.phtmlEntir s te 3rd Rock98 DegreesWelcome to Shop.oonline.comi Subscribe to aq Abbott & CostelloNewslette fortheeat4ywordonsalegandspeAIfredHitchcock@q ju lolonn! Ally McBeallwhat's hot In shop American BeauMOW !11@wCool Mom? American PsychoHot Gifts! Backstreet 84SNot sure If Mom's an:ntertainment fan? Tru Beatles lead n andhe ls. How else could BeaAs & Butt-l'0 put up with your routino Betty op nttll find humor in it? so, 6APEA Mother's Day, show her your Heart rs Poste -- nowpappreciation with one of our that'll make you skip agreat alfts beat!Chick Magnets Your littleAustin Is so charismatic. M.o nster:will](#)  
[://www.tocketcash.com/rc/shopping/pages/shopping-member.phimIVs ame Dolls > Austin PowersAuStin PowtrStOflector s Editi6fiDbllAh @\(section\)@iP6 suitYeah, baby! Absolutely smashing Austincomes with a blue pin-striped velvet suit,scarf, glasses, a medallion, chest hair, UnionJack underwear and a pistol. Press the basebutton to hear memorable movie phrases.Pose him any which way--for adventure.baby\(4113\) Audio Clip: RealAudio I install it- 10.5" x 4.5'- Plastic/cloth- Ages 4 and up- 3 AA batteries includedOriginal Price: \\$22.95Savings: 30%In StockOur Price: \\$16.06.....](#)  
[...TEENQUEENISBalance \\$45.00MalSubtotah @ 16.05Click check out to make yourpurchases.Click here to dose your bag andcontinue](#)

shopping.:I/www.rocketcash.com/rc/shopping/Wpaget/shopping-member.phptmAF RIMM  
 Roily=re s 3rd Rack Movies > Posters > comedy Austh-Pow Thi Spy@vbjt".@ha'g:ers. e.  
 gpd Me Posterdvafic'6. A)aPhotograph of Austin Powers with T'm Back,Babyl'- 27\* x  
 40"- original- Rolled/MintOriginal Price: \$14.95Savings: 30%In stockour Price:  
 \$10.47TEENQUEENIS... balance \$45.00CouponslMal@Ivllll-TSubtotah \$25.53Click  
 heck out to make yourpurchases.P@R'in. IMr.  
 44/www.rocketcasKcomhc/shopping/pages/shopping-member.phiml.....it's easy to  
 shop herel You can pay with a credit card which isRN116611 tibi"11t. secure and  
 private.(1) Sign InEmail Address;if your email address appears but is incorrect, please  
 change it.\*I'm a first-time customer.(You'll be asked to create a password later.)I'm a  
 returning customer, and my password is: IfThis a Gift?:his isn't a  
 giftTEENQUEEN13Balance  
 j45.601:/www.focketcasKOOm/Fe/shopping/pages/shopp@ing-member.phimlEntire  
 sitetz(3) Your Shipping AddressThis package will be mailed to the address you enter  
 here. Choo,existing address, or add a new one.FI Please make sure you enter the address  
 exactly as it should app,on the shipping label.Note: We cannot ship to P.O. boxes,  
 International locationsAPO/FPO addresses.Kiolfit"14 J66- Last Name: SenithCAstate,4  
 26phone; de Sh7o.44i @A Ak 41 11111 "-akAw'g 4TEENQUEENIS84ilance \$45.00L M  
 =1 - a X7l. MINIM A11; bwk-B a I@ @40  
 httv://www.focketeashcom/rc/shopping/pages/shopping-m6mbef.phtrAW3rd P(ock. A&  
 k DX I 0 %do1LIOM Mal I I MI 9(4) Update QuantitiesPlease verify that the items and  
 quantities shown below are corrfIf you need to change a quantity) just type a new number  
 into quantity box, then click on the 'Update quantities' button.kt"IRN@ @11\*W  
 \$16.0fv@ @.U R6, -C6I 'ettift, dit6h.i Vp6wer i lih" e,Y"W dshcggSubtotal: \$26.5:(5)  
 Secure Credit-Card InformationAll transactions at Shop.eonfine.com are secure and  
 private. Siniwe do not store credit-card information, you'll need to enter YOLcredit-card  
 number, even if you are a returning customer. If you@4  
 44 A 4 JL 1 4\* A 41  
 TEENQUEENIS XBalance  
 \$45.00COWMiMM/www.rocketcash.com/rc/shopping/pages/shopping-  
 member.phtmIWERMprefer, call 1 855-4979 to place your order by phone withcustomer-  
 service representative.Name on Credit- First rROCKET7 LastCard: I - - - - - Credit-  
 Card Number: J@aOCVETC@(numbers only; no dashes, no spaces)Type of Credit-  
 Card: \*American Express rv Yisa \*MasteExpiration Date: Month F=Wl YearCity, state  
 and ZIP code of the billing address for this creditCity:State: Zip Code: IRCZIP(6)  
 CouponsIf you have a coupon, enter its code below.Coupon Code:4@ A :AV,  
 41TEENQUEEN1Balance \$45.Couponsl.....I.....  
 .....uWYYou have coupons! e select an option if  
 you do not wish ticoupon at this time., just select 'Do not use any coupons at thisoption!':  
 Calling all entertainment junkies! ShopElOnline is stacked with the ho'have merchandise  
 from movies, music TV - including apparel, plushigames, posters and collectibles.C Do  
 not use any coupons at this time. ....  
 .....I-LA .....ZrIUMU,10.  
 W9,47713"140 http://www.rocketcasKcom/rc/shopping/pages/shopping-  
 member.phtmIaMINERE siteChe k ni itblft'@" Please verify that the items and quantities

shown below are ccReturn to the previous page to make any changes to your ordE"&@k  
Editit.66 inOy: e dMeSubtotal:Tax:Shipping:Total: \$ZThis package is being sent  
to:aTEENQUEENISbalance  
\$45.00Coupons!4E:@:http://www.rocketeash.com/rc/shopping/pages/shopping-  
membet.phtml7 -zLast, Nbmld StbRWhoP hbi 40 2@3789Esend this package to a  
different address by clicking hereT at s itl After clicking below, your order will be  
processed. We're sending you an email confirmation of this transaction. If you'd lilyou can  
also print out the next page as a receipt.If there's anything you'd like to change on your  
order beforeproceeding, simply click the 'back' button on your browser andthe  
appropriate changes.As always, the information you've provided is secure and will  
beprivate.ANTEENQUEEN13::Balance \$45.00@@CouponiIT HA  
A//www.tocketcash.comlfc/shoppWpagesAshopping-memberphtmlratulations!Your order  
has been submitted, and your RocketCashconfirmation is RC033067-95765 . Thank  
You.A 0s 491 4.\* TEENQUEEN13Mhe Balance  
\$45.00COU)://www.rocketcash.comitc/shopping/pages/shopping-  
membet.phtml79\*.ocheck out! If 411 @ @n @ @k Couponoll: @ @, for a chance(under  
your balance)to save \$10 off youre to save#for a chane next \$35 purchase\$10 off your  
next \$25purchase at CIDNOW at eve-COMCRP 38ZOOa!i"2!t oneUrnitane.eve.com  
COUPW t t VoBill W: I I ct per tMVr!/I I ffj 11 1-1 a.04site\$ to check out 4:LORolling  
Stone wants to s! 104 bonusissues--and offer you a Sal Rock@tcashA,  
4TEENQUEEN13Balance \$19.60COUUY 54441-- @ @.k.com/rc/p/\*shoppet-  
surrfairy.phpZNin Imartmrship WIMSelect the Month you want to view  
1 @ @YTDIDate Action who Amount BalanceDepositi Joe Smith \$23.00 \$45,0001-  
MAY-00q:so44 Y%u have coupons! These give you special discounts and deals at  
selected online stoNw, when you shop throu4WRocketCash. In order to use them, shop at  
thefollo like you normally would. When you checkout, n to use. Each coupon can only be  
used once.EnjoOccasionally, you will find other promotional deals In this area. They will  
have their own Instructions.Merchant Value DetailsActlonAce.tom \$10@ActionAce  
More DetailsParis Blues Got \$10 off! More DetailsTEENQUEENIS154614rtce  
\$19.60Coupons VII &W I @ @.p  
https://www.rocketeash.com/rc@php/shoppe!summary.phpq401Joe SmithPurchas::  
Icredit for \$ 1 0 off \$25Austin Powers: The Spy Who Shagged Me  
Poster/advaSiUNTEENQUEEN13Balance \$19.60Coupons!Click on the online merchant  
"Check Out" 4502reate two buffer areas:4504one for delivery to the spender, one for  
delivery to the merchantView the online merchant pay pages (check out pages)  
4506Search pay page for rule matches using rule structures 4508If a match is found  
execute the rule in the appropriate buffer area, 451 0i.e, protect a spender field, display  
\*\*\*\*" to the spender in a fieldVerify that amount to be sent is less than or equal to the  
amount in the 4512spender accountRequest an available corporate credit card with  
enough remaining credit to 4514cover the amount of the spenders purchaseFill in the  
credit card number, type, and expiration date into the appropriate 4516fields in the online  
merchant buffer and deliver to the online merchantIntercept private credit card  
information on all data returning to browser 4 51 8and substitute with text ("\*\*\*\*") to be  
displayed to spender!Generate and provide a substitute obscured email name and  
password to 4520merchant site to ensure prophetary access to merchant order  
information!Wait for the online merchant to reply 4522Respond based on success or

failure 4524Store all information about the purchase in the web site server database  
4526Figure 45Retrieve web 4602search pages for fully-qualifi  
4604Iconcatenatesurrogatedomaintohostname 1-@-4606C DFigure 46Retrieve document  
from merchant 4702Determine header type and apply appropriate modification  
4704I]Scan document CiEsj 4706Determine URL reg@ion:] 4708jProcess URLs  
according to region determination - @- 471 0Handle URLs not supported by s 4712I  
Proxy cookiesj --@- 4714C@Figure 47Wg"PWEIIN30111111:3tpa--//shop.del i as.  
con.demo.rocketca3h.cox/cgi@bin!:: Pill.Note: if you're under 16, you need a parent's  
pet inis3b to personal information on our site. Flewe see our Privacy Policy for  
information on how we use the information we t and how to be removed from our  
mailing list.Now tivl that Is out of the way, lets order!MEELast N - s:Street  
Address:Dodowd nor\* of VW #&mW)b#w. stift pWFpoifrutolsow  
ishm(spielintcaylStake: Choose One: :::@MBpAxestal Code: (No D11\*\*DCeawbV: Cho  
o se 5: @V, C73F) Co Lk IMPiN, I III!., III I9 //shop: deliasv.com@ demo.rocketca3h.  
cox/cgi-bin/agor=E-maill&IDaytime Phone number. INO D~Type of Cmc in Cwd  
DiscovCredt CaW NwIExpitwition Date (MMYY)M IRE I 19Canada  
ShipIGO0qqOIOfir. L4..PE LII mile slowallMdFir-14.4.e  
5aookhop.delias@.vom5iD25100//shop.delia-s.-c: ox. dezo-. rocketcash.cox/cgi-  
bin/3gNote:IfymetrdalS,YOoneedaparentlepamiss@tosLdmitpw3onalinformatimonotrstt  
e.PWm see our Pitary Policy for infonabon on how we u3e the information we colect wid  
how to be removed from OLW MR-&\* I3tio plan an ord arlet, yw muSt be ad iMt I3  
OI&Now thd Unt's out of the waV, lets order!IN.First Nme:Lost Now: IIDoe IStreet  
Address: I..uite BWC a- - @ -- (t 455 1%dm 510"t Spd it 09t  
St"tAverom9o\*w"nor\*of\*W\*mWAwW.xkffPWF@ @ 288 Pear AvePdtwrufofw II  
q9hm(/wwiWAntnwmbwl"CRY. Iwhountain VStele: CALIFORNIAzip4"std COW (No  
Dut"Dcam": USA C352-WF..... MAN40 A kila I at I Wi 1:11 III1:111 IN.  
.....est Loginimply click Continue to checkout anonymously.F 53II 4 MI M-111  
W2FMimi's: //shol del i al-eol demo.rocketca3h.cox/cgi-bin/agor0loELiAs\*;-C0M  
ot> ICHECKOUTPORDERINFID/YOUR ORDERIS GUARANTEED ORDER  
RMPSAFE& SECURE a ORDER NUMBERoRdeR InFoFor orders outside the US\* or  
Cmada, please chick hem.xPuerto Rico and AI are United States. Stav Herelm the  
Information ji:= see below is hill protected and stored on a computer that Is NEVEH  
connect; to the Internet. %\* naive impleverited the most sopholisticated sal measures to  
ensure #0 VW personal infollination is super safe. As soon as you grille us y=  
information, It is encrypted and sent through W\* protected phone lines, encrypted again  
arid chrected to an offline computer, bol from lhaofW3. Note: If yW#fO Under 16, I=  
reed a parent Is pemriissiori@ to stibmilit personal information on our site.  
3eeourProacyPokcvfortifawoneitioiwetmeffminfonationwerr"..tandhowtobereivioy  
from our 1.06 list. To piece an order via the Internet, you must be at least 13 yews  
old.Now that that Is out of to way, lett IIsmtFirst Nel 14ohnL - ii: 11Street Address:  
514100fNI MAMMON11IP.-/-/shop.-de-hwv.-cow.-demo.-rocketcash.-@cox-/cgiwbin-  
/sgorol-0550@9ELW407W ID Tft" InInAr CpHrim. KPEAK INMP ORDER IMYOUR  
CIS GUA=ED ORDER napSAFE & SECUREORDER MU14BERoRdeR InfoFor ordem  
outside the US\* or Coneda, ClickI there,apuerto Rico and APOfFO are Lk It States. Stav  
HweIAm the infurwaton you see below is hq1\* pi otec and stored on a computer #0 Is  
NEVER coi socked to the internetL Vk have InpWnen ed the most sophisticated security

meavire3to aroure that your personal Infoonnation is super safe. As scon as you W" us  
Mr information, tt a a ou y led aid sent trough highly  
protwWphomWm.eraptedujainaridr-mr-P toanuffirvecanputa,bola from A vackel Note: tf  
youts ormler l 6, you need a parentl3painiab towornitperva informationonotr3ite. gee our  
PtrPacy Policy for informalm an how we use the information we cobect and how to be, a  
toyed from ow, a& list. To place In as del via the l tai t, you must be at least 13 years  
old.Now #wkthalls out of the wW. lot's orderl,First Name: lIJohnF)(eAKF, 55crudit'First  
Nwnt>Last Nmc:street AddM33:F.Fetch page from remote server -@- 5702Fetch records  
applying to p 5704Extract page description information -@-- 5706score the page  
570lExecuteformfillinstructions l-.z---5710Provide completed page to client b  
5712Figure 57rocess pages to enable training process 5802Selec form fill training for an  
enabled page.5804Present training information 5806@complete training instructionj] --  
5808[Posttraininginformationtodatabase l-- 5810Figure 58DRTMonitor data  
stream5902pattern recognition 5904'.Determine controN@nction 5906Execute  
appropriate control mechanism -@- 5908lCEND:)Figure  
59lDetermineifcreditcardisassigned l---6002l Select appropriate credit card  
6004lConsider applicable coupons 6006lDeterminesufficiencyofuseraccountbalance -@-  
6008jApply additional funds to user account if account balance not sufficient 601 0l  
Perform loading operations -@- 6012l Complete pur has7e 6014Figure 60

?